




KEYSIGHT
TECHNOLOGIES

IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 11/25/2003 12:09:09

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	27
10.	Theoretical Max Rates	36

RFC2544 - Throughput/Latency - Info**Test Information****Product Information**

Product Label :	S2805S-48T4S
Product Version :	
Serial Number :	CG2408268728N00008
Comments :	

Test Settings

Date Executed :	11/25/2003
Time Executed :	12:09:09
User Name :	FS.COM
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward

Output Parameters

Number of Trials Passed :	N/A
Test Duration (sec) :	00:35:21


RFC2544 - Throughput/Latency - Port Map Information

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.36.15.200;05;03	1000	10.36.15.200;05;04	1000

RFC2544 - Throughput/Latency - Aggregated Graph


Total Frames Transmitted and Received


@frames_tx □
@frames_rx □



Trial - Framesize - Iteration

RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Aggregated Graph**Aggregated Frame Loss**

Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Line Rate




RFC2544 - Throughput/Latency - Per Flow Graph

Average Frame Loss per Flow





RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph


Tx / Rx Frame Count




Trial

RFC2544 - Throughput/Latency - Iteration Graph


Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128






Aggregated Frame Loss for Trial 1 and Framesize 256



Aggregated Frame Loss for Trial 1 and Framesize 512




Aggregated Frame Loss for Trial 1 and Framesize 1024**Aggregated Frame Loss for Trial 1 and Framesize 1280**




RFC2544 - Throughput/Latency - Iteration Graph

Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput	Throughput (frames)	Agg Latency (ns)		
	AggTx Rate %	Agg Rx Rate							
		%	FPS	Mbps					
Trial: 1 / FS: 64 / Iter: 9	100.00	100	1488095.2	761.905	Tx Rate Mbps :	Tx :	29761905.000	Min :	2825
					Rx Rate Mbps :	Rx :	29761905.000	Max :	3035
						Loss :	0	Average :	2997.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 128 / Iter: 9	100.00	100	844594.6	864.865	Tx Rate Mbps :	Tx :	16891892.000	Min :	3192
					Rx Rate Mbps :	Rx :	16891892.000	Max :	3370
						Loss :	0	Average :	3332.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 256 / Iter: 9	100.00	100	452898.5	927.536	Tx Rate Mbps :	Tx :	9057971.000	Min :	3035
					Rx Rate Mbps :	Rx :	9057971.000	Max :	3355
						Loss :	0	Average :	3317.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 512 / Iter: 9	100.00	100	234962.4	962.406	Tx Rate Mbps :	Tx :	4699248.000	Min :	3160
					Rx Rate Mbps :	Rx :	4699248.000	Max :	3355
						Loss :	0	Average :	3315.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	119731.8	980.843	Tx Rate Mbps :	Tx :	2394636.000	Min :	3145
					Rx Rate Mbps :	Rx :	2394636.000	Max :	3402
						Loss :	0	Average :	3362.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	96153.8	984.615	Tx Rate Mbps :	Tx :	1923077.000	Min :	3195
					Rx Rate Mbps :	Rx :	1923077.000	Max :	3515
						Loss :	0	Average :	3413.000
					Lost Bits % :	Loss% :	0.00		
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	81274.4	986.996	Tx Rate Mbps :	Tx :	1625488.000	Min :	3065
					Rx Rate Mbps :	Rx :	1625488.000	Max :	3355
						Loss :	0	Average :	3322.000
					Lost Bits % :	Loss% :	0.00		

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	148809.5	76.190			Tx : 2976190.000 Rx : 2976190.000 Loss : 0 Loss% : 0.00	2665	3017	2842.000	
Trial: 1 / FS: 64 / Iter: 2	55	55	818452.5	419.048			Tx : 16369048.000 Rx : 16369048.000 Loss : 0 Loss% : 0.00	2665	3035	2846.000	
Trial: 1 / FS: 64 / Iter: 3	78	78	1153274.7	590.477			Tx : 23065476.000 Rx : 23065476.000 Loss : 0 Loss% : 0.00	2697	3035	2856.000	
Trial: 1 / FS: 64 / Iter: 4	89	89	1320685.0	676.191			Tx : 26413690.000 Rx : 26413690.000 Loss : 0 Loss% : 0.00	2730	3020	2875.000	
Trial: 1 / FS: 64 / Iter: 5	94	94	1404391.1	719.048			Tx : 28087798.000 Rx : 28087798.000 Loss : 0 Loss% : 0.00	2760	3035	2902.000	
Trial: 1 / FS: 64 / Iter: 6	97	97	1446242.7	740.476			Tx : 28924851.000 Rx : 28924851.000 Loss : 0 Loss% : 0.00	2792	3035	2931.000	
Trial: 1 / FS: 64 / Iter: 7	99	99	1467169.8	751.191			Tx : 29343378.000 Rx : 29343378.000 Loss : 0 Loss% : 0.00	2872	3035	2956.000	
Trial: 1 / FS: 64 / Iter: 8	99	99	1477633.5	756.548			Tx : 29552641.000 Rx : 29552641.000 Loss : 0 Loss% : 0.00	2682	3035	2972.000	
Trial: 1 / FS: 64 / Iter: 9	100	100	1488095.2	761.905			Tx : 29761905.000 Rx : 29761905.000 Loss : 0 Loss% : 0.00	2825	3035	2997.000	
Trial: 1 / FS: 128 / Iter: 1	10	10	84459.5	86.486			Tx : 1689189.000 Rx : 1689189.000 Loss : 0 Loss% : 0.00	3002	3370	3186.000	
Trial: 1 / FS: 128 / Iter: 2	55	55	464527.2	475.676			Tx : 9290541.000 Rx : 9290541.000 Loss : 0 Loss% : 0.00	3000	3370	3182.000	
Trial: 1 / FS: 128 / Iter: 3	78	78	654561.0	670.271			Tx : 13091216.000 Rx : 13091216.000 Loss : 0 Loss% : 0.00	3000	3370	3182.000	
Trial: 1 / FS: 128 / Iter: 4	89	89	749577.8	767.568			Tx : 14991554.000 Rx : 14991554.000 Loss : 0 Loss% : 0.00	3000	3370	3182.000	

Trial: 1 / FS: 128 / Iter: 5	94	94	797086.2	816.216	Tx : Rx : Loss : Loss% :	15941723.000 15941723.000 0 0.00	3065	3370	3212.000
Trial: 1 / FS: 128 / Iter: 6	97	97	820840.6	840.541	Tx : Rx : Loss : Loss% :	16416807.000 16416807.000 0 0.00	3127	3370	3256.000
Trial: 1 / FS: 128 / Iter: 7	99	99	832717.5	852.703	Tx : Rx : Loss : Loss% :	16654350.000 16654350.000 0 0.00	3112	3370	3278.000
Trial: 1 / FS: 128 / Iter: 8	99	99	838656.3	858.784	Tx : Rx : Loss : Loss% :	16773121.000 16773121.000 0 0.00	3227	3370	3298.000
Trial: 1 / FS: 128 / Iter: 9	100	100	844594.6	864.865	Tx : Rx : Loss : Loss% :	16891892.000 16891892.000 0 0.00	3192	3370	3332.000
Trial: 1 / FS: 256 / Iter: 1	10	10	45289.9	92.754	Tx : Rx : Loss : Loss% :	905797.000 905797.000 0 0.00	2987	3340	3164.000
Trial: 1 / FS: 256 / Iter: 2	55	55	249094.2	510.145	Tx : Rx : Loss : Loss% :	4981884.000 4981884.000 0 0.00	2985	3340	3167.000
Trial: 1 / FS: 256 / Iter: 3	78	78	350996.4	718.841	Tx : Rx : Loss : Loss% :	7019928.000 7019928.000 0 0.00	2985	3355	3167.000
Trial: 1 / FS: 256 / Iter: 4	89	89	401947.6	823.189	Tx : Rx : Loss : Loss% :	8038949.000 8038949.000 0 0.00	2985	3355	3167.000
Trial: 1 / FS: 256 / Iter: 5	94	94	427423.1	875.362	Tx : Rx : Loss : Loss% :	8548460.000 8548460.000 0 0.00	2985	3355	3167.000
Trial: 1 / FS: 256 / Iter: 6	97	97	440160.8	901.449	Tx : Rx : Loss : Loss% :	8803216.000 8803216.000 0 0.00	2985	3355	3167.000
Trial: 1 / FS: 256 / Iter: 7	99	99	446529.8	914.493	Tx : Rx : Loss : Loss% :	8930593.000 8930593.000 0 0.00	2985	3340	3170.000
Trial: 1 / FS: 256 / Iter: 8	99	99	449714.2	921.015	Tx : Rx : Loss : Loss% :	8994282.000 8994282.000 0 0.00	3130	3355	3242.000
Trial: 1 / FS: 256 / Iter: 9	100	100	452898.5	927.536	Tx : Rx : Loss : Loss% :	9057971.000 9057971.000 0 0.00	3035	3355	3317.000
Trial: 1 / FS: 512 / Iter: 1	10	10	23496.2	96.241	Tx : Rx : Loss : Loss% :	469925.000 469925.000 0 0.00	3002	3337	3170.000

Trial: 1 / FS: 512 / Iter: 2	55	55	129229.3	529.323	Tx : Rx : Loss : Loss% :	2584586.000 2584586.000 0 0.00	2985	3337	3165.000
Trial: 1 / FS: 512 / Iter: 3	78	78	182095.9	745.865	Tx : Rx : Loss : Loss% :	3641917.000 3641917.000 0 0.00	2985	3352	3165.000
Trial: 1 / FS: 512 / Iter: 4	89	89	208529.1	854.135	Tx : Rx : Loss : Loss% :	4170583.000 4170583.000 0 0.00	2985	3352	3165.000
Trial: 1 / FS: 512 / Iter: 5	94	94	221745.8	908.271	Tx : Rx : Loss : Loss% :	4434915.000 4434915.000 0 0.00	2985	3355	3165.000
Trial: 1 / FS: 512 / Iter: 6	97	97	228354.1	935.338	Tx : Rx : Loss : Loss% :	4567082.000 4567082.000 0 0.00	3080	3337	3196.000
Trial: 1 / FS: 512 / Iter: 7	99	99	231658.3	948.872	Tx : Rx : Loss : Loss% :	4633165.000 4633165.000 0 0.00	3080	3352	3217.000
Trial: 1 / FS: 512 / Iter: 8	99	99	233310.3	955.639	Tx : Rx : Loss : Loss% :	4666207.000 4666207.000 0 0.00	3050	3352	3244.000
Trial: 1 / FS: 512 / Iter: 9	100	100	234962.4	962.406	Tx : Rx : Loss : Loss% :	4699248.000 4699248.000 0 0.00	3160	3355	3315.000
Trial: 1 / FS: 1024 / Iter: 1	10	10	11973.2	98.084	Tx : Rx : Loss : Loss% :	239464.000 239464.000 0 0.00	3035	3387	3211.000
Trial: 1 / FS: 1024 / Iter: 2	55	55	65852.5	539.464	Tx : Rx : Loss : Loss% :	1317050.000 1317050.000 0 0.00	3032	3387	3214.000
Trial: 1 / FS: 1024 / Iter: 3	78	78	92792.2	760.153	Tx : Rx : Loss : Loss% :	1855843.000 1855843.000 0 0.00	3032	3387	3214.000
Trial: 1 / FS: 1024 / Iter: 4	89	89	106262.0	870.498	Tx : Rx : Loss : Loss% :	2125239.000 2125239.000 0 0.00	3032	3387	3214.000
Trial: 1 / FS: 1024 / Iter: 5	94	94	112996.9	925.671	Tx : Rx : Loss : Loss% :	2259938.000 2259938.000 0 0.00	3032	3387	3214.000
Trial: 1 / FS: 1024 / Iter: 6	97	97	116364.3	953.257	Tx : Rx : Loss : Loss% :	2327287.000 2327287.000 0 0.00	3065	3387	3219.000
Trial: 1 / FS: 1024 / Iter: 7	99	99	118048.1	967.050	Tx : Rx : Loss : Loss% :	2360961.000 2360961.000 0 0.00	3065	3387	3233.000

Trial: 1 / FS: 1024 / Iter: 8	99	99	118889.9	973.946	Tx : Rx : Loss : Loss% :	2377799.000 2377799.000 0 0.00	3130	3402	3256.000
Trial: 1 / FS: 1024 / Iter: 9	100	100	119731.8	980.843	Tx : Rx : Loss : Loss% :	2394636.000 2394636.000 0 0.00	3145	3402	3362.000
Trial: 1 / FS: 1280 / Iter: 1	10	10	9615.4	98.462	Tx : Rx : Loss : Loss% :	192308.000 192308.000 0 0.00	3147	3500	3323.000
Trial: 1 / FS: 1280 / Iter: 2	55	55	52884.6	541.538	Tx : Rx : Loss : Loss% :	1057692.000 1057692.000 0 0.00	3145	3515	3326.000
Trial: 1 / FS: 1280 / Iter: 3	78	78	74519.2	763.077	Tx : Rx : Loss : Loss% :	1490385.000 1490385.000 0 0.00	3145	3515	3326.000
Trial: 1 / FS: 1280 / Iter: 4	89	89	85336.5	873.846	Tx : Rx : Loss : Loss% :	1706731.000 1706731.000 0 0.00	3145	3515	3326.000
Trial: 1 / FS: 1280 / Iter: 5	94	94	90745.2	929.231	Tx : Rx : Loss : Loss% :	1814904.000 1814904.000 0 0.00	3145	3515	3326.000
Trial: 1 / FS: 1280 / Iter: 6	97	97	93449.5	956.923	Tx : Rx : Loss : Loss% :	1868990.000 1868990.000 0 0.00	3145	3515	3326.000
Trial: 1 / FS: 1280 / Iter: 7	99	99	94801.7	970.769	Tx : Rx : Loss : Loss% :	1896034.000 1896034.000 0 0.00	3145	3500	3332.000
Trial: 1 / FS: 1280 / Iter: 8	99	99	95477.8	977.692	Tx : Rx : Loss : Loss% :	1909555.000 1909555.000 0 0.00	3210	3512	3370.000
Trial: 1 / FS: 1280 / Iter: 9	100	100	96153.8	984.615	Tx : Rx : Loss : Loss% :	1923077.000 1923077.000 0 0.00	3195	3515	3413.000
Trial: 1 / FS: 1518 / Iter: 1	10	10	8127.4	98.700	Tx : Rx : Loss : Loss% :	162549.000 162549.000 0 0.00	2987	3340	3165.000
Trial: 1 / FS: 1518 / Iter: 2	55	55	44700.9	542.848	Tx : Rx : Loss : Loss% :	894018.000 894018.000 0 0.00	2985	3355	3168.000
Trial: 1 / FS: 1518 / Iter: 3	78	78	62987.6	764.922	Tx : Rx : Loss : Loss% :	1259753.000 1259753.000 0 0.00	2985	3355	3168.000
Trial: 1 / FS: 1518 / Iter: 4	89	89	72131.0	875.959	Tx : Rx : Loss : Loss% :	1442620.000 1442620.000 0 0.00	2985	3355	3168.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	76702.7	931.478	Tx : Rx : Loss : Loss% :	1534054.000 1534054.000 0 0.00	2985	3355	3168.000
Trial: 1 / FS: 1518 / Iter: 6	97	97	78988.5	959.237	Tx : Rx : Loss : Loss% :	1579771.000 1579771.000 0 0.00	2985	3355	3168.000
Trial: 1 / FS: 1518 / Iter: 7	99	99	80131.5	973.117	Tx : Rx : Loss : Loss% :	1602629.000 1602629.000 0 0.00	2985	3355	3172.000
Trial: 1 / FS: 1518 / Iter: 8	99	99	80702.9	980.056	Tx : Rx : Loss : Loss% :	1614058.000 1614058.000 0 0.00	3032	3355	3208.000
Trial: 1 / FS: 1518 / Iter: 9	100	100	81274.4	986.996	Tx : Rx : Loss : Loss% :	1625488.000 1625488.000 0 0.00	3065	3355	3322.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput	Throughput (frames)	
				Tx Rate %	Rx Rate					
					%	FPS	Mbps			
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	29761905 29761905 0 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	16891892 16891892 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	2394636 2394636 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2825	3035	2997
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3192	3370	3332
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3035	3355	3317
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3160	3355	3315
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3402	3362
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3195	3515	3413
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3065	3355	3322

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	%	Rx Rate FPS	Mbps	Tx Rate Mbps	Rx Rate Mbps		
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.8	751.19			Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.5	756.55			Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49			Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68			Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27			Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57			Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 128 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx : 15941723 Rx : 15941723 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : 16416807 Rx : 16416807 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : 16654350 Rx : 16654350 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : 16773121 Rx : 16773121 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : 905797 Rx : 905797 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : 4981884 Rx : 4981884 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : 7019928 Rx : 7019928 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : 8038949 Rx : 8038949 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : 8548460 Rx : 8548460 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : 8803216 Rx : 8803216 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : 8930593 Rx : 8930593 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : 8994282 Rx : 8994282 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : 469925 Rx : 469925 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 512 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : 2584586 Rx : 2584586 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : 3641917 Rx : 3641917 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : 4170583 Rx : 4170583 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : 4434915 Rx : 4434915 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : 4567082 Rx : 4567082 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : 4633165 Rx : 4633165 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : 4666207 Rx : 4666207 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : 4699248 Rx : 4699248 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : 239464 Rx : 239464 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : 1317050 Rx : 1317050 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : 1855843 Rx : 1855843 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : 2125239 Rx : 2125239 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : 2259938 Rx : 2259938 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : 2327287 Rx : 2327287 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : 2360961 Rx : 2360961 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : 2377799 Rx : 2377799 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : 192308 Rx : 192308 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : 1057692 Rx : 1057692 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : 1490385 Rx : 1490385 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : 1706731 Rx : 1706731 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : 1814904 Rx : 1814904 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : 1868990 Rx : 1868990 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : 1896034 Rx : 1896034 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : 1909555 Rx : 1909555 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : 1923077 Rx : 1923077 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : 162549 Rx : 162549 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : 894018 Rx : 894018 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : 1259753 Rx : 1259753 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : 1442620 Rx : 1442620 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : 1534054
								Rx : 1534054
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : 1579771
								Rx : 1579771
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : 1602629
								Rx : 1602629
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : 1614058
								Rx : 1614058
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : 1625488
								Rx : 1625488
								Loss : 0
								Loss% : 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2665	3017	2842.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2665	3035	2846.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2697	3035	2856.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2730	3020	2875.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2760	3035	2902.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2792	3035	2931.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2872	3035	2956.00
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2682	3035	2972.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2825	3035	2997.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3002	3370	3186.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3000	3370	3182.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3000	3370	3182.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3000	3370	3182.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3065	3370	3212.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3127	3370	3256.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3112	3370	3278.00
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3227	3370	3298.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3192	3370	3332.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2987	3340	3164.00

Trial: 1 / FS: 256 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3340	3167.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3167.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3167.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3167.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3167.00
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3340	3170.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3130	3355	3242.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3035	3355	3317.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3002	3337	3170.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3337	3165.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3352	3165.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3352	3165.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3165.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3080	3337	3196.00
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3080	3352	3217.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3050	3352	3244.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3160	3355	3315.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3035	3387	3211.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3032	3387	3214.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3032	3387	3214.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3032	3387	3214.00

Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3032	3387	3214.00
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3065	3387	3219.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3065	3387	3233.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3130	3402	3256.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3402	3362.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3147	3500	3323.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3515	3326.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3515	3326.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3515	3326.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3515	3326.00
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3515	3326.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3145	3500	3332.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3210	3512	3370.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3195	3515	3413.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2987	3340	3165.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3168.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3168.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3168.00
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3168.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3168.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	2985	3355	3172.00

Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3032	3355	3208.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 003	Ethernet - 004	S2805S-48T4S-Endpoint Set-1 - Flow Group 0001	3065	3355	3322.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730