



KEYSIGHT
TECHNOLOGIES

IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 12/05/2025 11:28:41

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	29
10.	Theoretical Max Rates	59

RFC2544 - Throughput/Latency - Info**Test Information****Product Information**

Product Label :	S5500-48T6SP-R 2.2.0F
Product Version :	Build 133837
Serial Number :	CG2412161036N00004
Comments :	

Test Settings

Date Executed :	12/05/2025
Time Executed :	11:28:41
User Name :	FS.COM
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward

Output Parameters



Number of Trials Passed :	N/A
Test Duration (sec) :	00:36:56

RFC2544 - Throughput/Latency - Port Map Information

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.36.15.200;04;11	1000	10.36.15.200;04;12	1000
	10.36.15.200;04;12	1000	10.36.15.200;04;11	1000
	10.36.15.200;04;13	10000	10.36.15.200;04;14	10000
	10.36.15.200;04;14	10000	10.36.15.200;04;13	10000


RFC2544 - Throughput/Latency - Aggregated Graph


Total Frames Transmitted and Received



Trial - Framesize - Iteration

RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Aggregated Graph**Aggregated Frame Loss**

Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Line Rate




RFC2544 - Throughput/Latency - Per Flow Graph

Average Frame Loss per Flow




RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph

Tx / Rx Frame Count


■ @count_tx □ □
■ @count_rx □ □




Trial

RFC2544 - Throughput/Latency - Iteration Graph


Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128




Aggregated Frame Loss for Trial 1 and Framesize 256




Aggregated Frame Loss for Trial 1 and Framesize 512




Aggregated Frame Loss for Trial 1 and Framesize 1024



Aggregated Frame Loss for Trial 1 and Framesize 1280




Aggregated Frame Loss for Trial 1 and Framesize 1518




RFC2544 - Throughput/Latency - Iteration Graph

Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput	Throughput (frames)		Agg Latency (ns)		
	AggTx Rate %	Agg Rx Rate								
		%	FPS	Mbps						
Trial: 1 / FS: 64 / Iter: 9	100.00	100	32738095.2	16761.905	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	654761906.000 654761906.000 0 0.00	Min : Max : Average :	1200 3855 2194.250	
Trial: 1 / FS: 128 / Iter: 9	100.00	100	18581081.1	19027.027	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	371621622.000 371621622.000 0 0.00	Min : Max : Average :	1307 4192 2402.250	
Trial: 1 / FS: 256 / Iter: 9	100.00	100	9963768.1	20405.797	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	199275362.000 199275362.000 0 0.00	Min : Max : Average :	1302 4195 2395.000	
Trial: 1 / FS: 512 / Iter: 9	100.00	100	5169172.9	21172.932	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	103383458.000 103383458.000 0 0.00	Min : Max : Average :	1302 4192 2392.750	
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	2634099.6	21578.544	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	52681992.000 52681992.000 0 0.00	Min : Max : Average :	1302 4222 2423.000	
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	2115384.6	21661.538	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	42307692.000 42307692.000 0 0.00	Min : Max : Average :	1302 4322 2447.000	
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	1788036.4	21713.914	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	35760728.000 35760728.000 0 0.00	Min : Max : Average :	1305 4177 2392.000	

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	3273809.5	1676.190			Tx : 65476190.000 Rx : 65476190.000 Loss : 0 Loss% : 0.00	1190	3200	2110.000	
Trial: 1 / FS: 64 / Iter: 2	55	55	18006028.8	9219.087			Tx : 360119048.000 Rx : 360119048.000 Loss : 0 Loss% : 0.00	1187	3792	2109.250	
Trial: 1 / FS: 64 / Iter: 3	78	78	25372106.1	12990.518			Tx : 507440476.000 Rx : 507440476.000 Loss : 0 Loss% : 0.00	1187	3742	2114.000	
Trial: 1 / FS: 64 / Iter: 4	89	89	29055179.5	14876.252			Tx : 581101190.000 Rx : 581101190.000 Loss : 0 Loss% : 0.00	1195	3840	2126.000	
Trial: 1 / FS: 64 / Iter: 5	94	94	30896820.7	15819.172			Tx : 617931548.000 Rx : 617931548.000 Loss : 0 Loss% : 0.00	1202	3807	2142.000	
Trial: 1 / FS: 64 / Iter: 6	97	97	31817404.9	16290.511			Tx : 636346726.000 Rx : 636346726.000 Loss : 0 Loss% : 0.00	1197	3807	2157.750	
Trial: 1 / FS: 64 / Iter: 7	99	99	32278004.3	16526.338			Tx : 645554316.000 Rx : 645554316.000 Loss : 0 Loss% : 0.00	1215	3825	2170.750	
Trial: 1 / FS: 64 / Iter: 8	99	99	32507936.5	16644.063			Tx : 650158110.000 Rx : 650158110.000 Loss : 0 Loss% : 0.00	1197	3857	2180.250	
Trial: 1 / FS: 64 / Iter: 9	100	100	32738095.2	16761.905			Tx : 654761906.000 Rx : 654761906.000 Loss : 0 Loss% : 0.00	1200	3855	2194.250	
Trial: 1 / FS: 128 / Iter: 1	10	10	1858108.1	1902.703			Tx : 37162162.000 Rx : 37162162.000 Loss : 0 Loss% : 0.00	1270	3537	2318.000	
Trial: 1 / FS: 128 / Iter: 2	55	55	10219598.0	10464.868			Tx : 204391892.000 Rx : 204391892.000 Loss : 0 Loss% : 0.00	1270	3585	2317.250	
Trial: 1 / FS: 128 / Iter: 3	78	78	14400403.1	14746.013			Tx : 288006756.000 Rx : 288006756.000 Loss : 0 Loss% : 0.00	1270	3822	2317.500	
Trial: 1 / FS: 128 / Iter: 4	89	89	16490781.3	16886.560			Tx : 329814190.000 Rx : 329814190.000 Loss : 0 Loss% : 0.00	1270	4000	2317.500	

Trial: 1 / FS: 128 / Iter: 5	94	94	17535984.7	17956.848	Tx : Rx : Loss : Loss% :	350717906.000 350717906.000 0 0.00	1270	4065	2332.750
Trial: 1 / FS: 128 / Iter: 6	97	97	18058567.6	18491.973	Tx : Rx : Loss : Loss% :	361169762.000 361169762.000 0 0.00	1270	4130	2354.750
Trial: 1 / FS: 128 / Iter: 7	99	99	18319849.3	18759.526	Tx : Rx : Loss : Loss% :	366395694.000 366395694.000 0 0.00	1270	4192	2367.000
Trial: 1 / FS: 128 / Iter: 8	99	99	18450449.3	18893.260	Tx : Rx : Loss : Loss% :	369008658.000 369008658.000 0 0.00	1290	4177	2380.500
Trial: 1 / FS: 128 / Iter: 9	100	100	18581081.1	19027.027	Tx : Rx : Loss : Loss% :	371621622.000 371621622.000 0 0.00	1307	4192	2402.250
Trial: 1 / FS: 256 / Iter: 1	10	10	996376.8	2040.580	Tx : Rx : Loss : Loss% :	19927536.000 19927536.000 0 0.00	1270	3517	2309.000
Trial: 1 / FS: 256 / Iter: 2	55	55	5480080.4	11223.205	Tx : Rx : Loss : Loss% :	109601450.000 109601450.000 0 0.00	1270	3697	2310.000
Trial: 1 / FS: 256 / Iter: 3	78	78	7721922.8	15814.498	Tx : Rx : Loss : Loss% :	154438406.000 154438406.000 0 0.00	1270	3655	2310.000
Trial: 1 / FS: 256 / Iter: 4	89	89	8842859.0	18110.175	Tx : Rx : Loss : Loss% :	176856884.000 176856884.000 0 0.00	1270	3887	2310.000
Trial: 1 / FS: 256 / Iter: 5	94	94	9403310.2	19257.979	Tx : Rx : Loss : Loss% :	188066122.000 188066122.000 0 0.00	1275	4017	2311.500
Trial: 1 / FS: 256 / Iter: 6	97	97	9683562.3	19831.936	Tx : Rx : Loss : Loss% :	193670744.000 193670744.000 0 0.00	1282	4022	2313.500
Trial: 1 / FS: 256 / Iter: 7	99	99	9823655.6	20118.847	Tx : Rx : Loss : Loss% :	196473052.000 196473052.000 0 0.00	1282	4097	2317.000
Trial: 1 / FS: 256 / Iter: 8	99	99	9893719.2	20262.337	Tx : Rx : Loss : Loss% :	197874208.000 197874208.000 0 0.00	1287	4127	2353.250
Trial: 1 / FS: 256 / Iter: 9	100	100	9963768.1	20405.797	Tx : Rx : Loss : Loss% :	199275362.000 199275362.000 0 0.00	1302	4195	2395.000
Trial: 1 / FS: 512 / Iter: 1	10	10	516917.3	2117.293	Tx : Rx : Loss : Loss% :	10338346.000 10338346.000 0 0.00	1270	3517	2307.750

Trial: 1 / FS: 512 / Iter: 2	55	55	2843045.8	11645.116	Tx : Rx : Loss : Loss% :	56860902.000 56860902.000 0 0.00	1270	3695	2308.750
Trial: 1 / FS: 512 / Iter: 3	78	78	4006111.4	16409.032	Tx : Rx : Loss : Loss% :	80122180.000 80122180.000 0 0.00	1270	3605	2308.500
Trial: 1 / FS: 512 / Iter: 4	89	89	4587641.7	18790.980	Tx : Rx : Loss : Loss% :	91752820.000 91752820.000 0 0.00	1270	3585	2308.500
Trial: 1 / FS: 512 / Iter: 5	94	94	4878411.7	19981.974	Tx : Rx : Loss : Loss% :	97568138.000 97568138.000 0 0.00	1270	3887	2308.500
Trial: 1 / FS: 512 / Iter: 6	97	97	5023789.9	20577.444	Tx : Rx : Loss : Loss% :	100475800.000 100475800.000 0 0.00	1272	4000	2325.000
Trial: 1 / FS: 512 / Iter: 7	99	99	5096482.0	20875.190	Tx : Rx : Loss : Loss% :	101929628.000 101929628.000 0 0.00	1280	4095	2338.250
Trial: 1 / FS: 512 / Iter: 8	99	99	5132831.7	21024.078	Tx : Rx : Loss : Loss% :	102656544.000 102656544.000 0 0.00	1287	4127	2353.250
Trial: 1 / FS: 512 / Iter: 9	100	100	5169172.9	21172.932	Tx : Rx : Loss : Loss% :	103383458.000 103383458.000 0 0.00	1302	4192	2392.750
Trial: 1 / FS: 1024 / Iter: 1	10	10	263410.0	2157.854	Tx : Rx : Loss : Loss% :	5268200.000 5268200.000 0 0.00	1282	3567	2341.000
Trial: 1 / FS: 1024 / Iter: 2	55	55	1448754.9	11868.200	Tx : Rx : Loss : Loss% :	28975096.000 28975096.000 0 0.00	1282	3840	2340.000
Trial: 1 / FS: 1024 / Iter: 3	78	78	2041427.3	16723.373	Tx : Rx : Loss : Loss% :	40828544.000 40828544.000 0 0.00	1282	3570	2340.000
Trial: 1 / FS: 1024 / Iter: 4	89	89	2337763.7	19150.960	Tx : Rx : Loss : Loss% :	46755268.000 46755268.000 0 0.00	1282	3747	2339.750
Trial: 1 / FS: 1024 / Iter: 5	94	94	2485932.7	20364.760	Tx : Rx : Loss : Loss% :	49718630.000 49718630.000 0 0.00	1282	3745	2340.000
Trial: 1 / FS: 1024 / Iter: 6	97	97	2560016.2	20971.653	Tx : Rx : Loss : Loss% :	51200312.000 51200312.000 0 0.00	1282	3920	2342.750
Trial: 1 / FS: 1024 / Iter: 7	99	99	2597057.7	21275.096	Tx : Rx : Loss : Loss% :	51941150.000 51941150.000 0 0.00	1282	4080	2349.250

Trial: 1 / FS: 1024 / Iter: 8	99	99	2615578.7	21426.820	Tx : Rx : Loss : Loss% :	52311572.000 52311572.000 0 0.00	1282	4135	2360.750
Trial: 1 / FS: 1024 / Iter: 9	100	100	2634099.6	21578.544	Tx : Rx : Loss : Loss% :	52681992.000 52681992.000 0 0.00	1302	4222	2423.000
Trial: 1 / FS: 1280 / Iter: 1	10	10	211538.5	2166.154	Tx : Rx : Loss : Loss% :	4230770.000 4230770.000 0 0.00	1297	3680	2402.500
Trial: 1 / FS: 1280 / Iter: 2	55	55	1163461.8	11913.849	Tx : Rx : Loss : Loss% :	23269230.000 23269230.000 0 0.00	1295	3682	2402.250
Trial: 1 / FS: 1280 / Iter: 3	78	78	1639423.4	16787.696	Tx : Rx : Loss : Loss% :	32788462.000 32788462.000 0 0.00	1295	3682	2402.250
Trial: 1 / FS: 1280 / Iter: 4	89	89	1877404.6	19224.623	Tx : Rx : Loss : Loss% :	37548078.000 37548078.000 0 0.00	1295	3682	2402.000
Trial: 1 / FS: 1280 / Iter: 5	94	94	1996394.3	20443.078	Tx : Rx : Loss : Loss% :	39927884.000 39927884.000 0 0.00	1295	3710	2402.000
Trial: 1 / FS: 1280 / Iter: 6	97	97	2055890.1	21052.314	Tx : Rx : Loss : Loss% :	41117788.000 41117788.000 0 0.00	1295	3957	2402.500
Trial: 1 / FS: 1280 / Iter: 7	99	99	2085637.0	21356.923	Tx : Rx : Loss : Loss% :	41712742.000 41712742.000 0 0.00	1295	4177	2406.000
Trial: 1 / FS: 1280 / Iter: 8	99	99	2100511.2	21509.235	Tx : Rx : Loss : Loss% :	42010216.000 42010216.000 0 0.00	1297	4207	2424.500
Trial: 1 / FS: 1280 / Iter: 9	100	100	2115384.6	21661.538	Tx : Rx : Loss : Loss% :	42307692.000 42307692.000 0 0.00	1302	4322	2447.000
Trial: 1 / FS: 1518 / Iter: 1	10	10	178803.6	2171.391	Tx : Rx : Loss : Loss% :	3576074.000 3576074.000 0 0.00	1270	3732	2308.250
Trial: 1 / FS: 1518 / Iter: 2	55	55	983420.1	11942.654	Tx : Rx : Loss : Loss% :	19668400.000 19668400.000 0 0.00	1270	3522	2309.000
Trial: 1 / FS: 1518 / Iter: 3	78	78	1385728.5	16828.287	Tx : Rx : Loss : Loss% :	27714564.000 27714564.000 0 0.00	1270	3582	2309.000
Trial: 1 / FS: 1518 / Iter: 4	89	89	1586882.9	19271.106	Tx : Rx : Loss : Loss% :	31737646.000 31737646.000 0 0.00	1270	3625	2309.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	1687460.2	20492.517	Tx : Rx : Loss : Loss% :	33749188.000 33749188.000 0 0.00	1270	3520	2309.000
Trial: 1 / FS: 1518 / Iter: 6	97	97	1737748.1	21103.213	Tx : Rx : Loss : Loss% :	34754958.000 34754958.000 0 0.00	1270	3807	2309.000
Trial: 1 / FS: 1518 / Iter: 7	99	99	1762892.2	21408.563	Tx : Rx : Loss : Loss% :	35257842.000 35257842.000 0 0.00	1270	3932	2310.750
Trial: 1 / FS: 1518 / Iter: 8	99	99	1775464.3	21561.238	Tx : Rx : Loss : Loss% :	35509284.000 35509284.000 0 0.00	1272	4050	2329.750
Trial: 1 / FS: 1518 / Iter: 9	100	100	1788036.4	21713.914	Tx : Rx : Loss : Loss% :	35760728.000 35760728.000 0 0.00	1305	4177	2392.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Tx Rate %	L2 Throughput			L1 Throughput	Throughput (frames)
					%	FPS	Mbps		
Trial: 1 / FS: 64 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	14880952.4	7619.05	Tx Rate Mbps : Rx Rate Mbps :	Tx : 297619048 Rx : 297619048 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	14880952.4	7619.05	Tx Rate Mbps : Rx Rate Mbps :	Tx : 297619048 Rx : 297619048 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	8445945.9	8648.65	Tx Rate Mbps : Rx Rate Mbps :	Tx : 168918919 Rx : 168918919 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	8445945.9	8648.65	Tx Rate Mbps : Rx Rate Mbps :	Tx : 168918919 Rx : 168918919 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	4528985.5	9275.36	Tx Rate Mbps : Rx Rate Mbps :	Tx : 90579710 Rx : 90579710 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	4528985.5	9275.36	Tx Rate Mbps : Rx Rate Mbps :	Tx : 90579710 Rx : 90579710 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : 4699248 Rx : 4699248 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 512 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	2349624.1	9624.06	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	2349624.1	9624.06	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	1197318.0	9808.43	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	1197318.0	9808.43	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	961538.5	9846.15	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	961538.5	9846.15	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100	812743.8	9869.96	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	16254876 16254876 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100	812743.8	9869.96	Tx Rate Mbps : Rx Rate Mbps : Loss Bits % : Loss% :	Tx : Rx : Loss : Loss% :	16254876 16254876 0 0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3015	3800	3109
Trial: 1 / FS: 64 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2925	3855	3172
Trial: 1 / FS: 64 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1200	1312	1237
Trial: 1 / FS: 64 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1232	1335	1259
Trial: 1 / FS: 128 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3267	4132	3441
Trial: 1 / FS: 128 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3470	4192	3510
Trial: 1 / FS: 128 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1307	1392	1318
Trial: 1 / FS: 128 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1415	1340
Trial: 1 / FS: 256 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3350	4117	3427
Trial: 1 / FS: 256 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3250	4195	3495
Trial: 1 / FS: 256 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1305	1392	1318
Trial: 1 / FS: 256 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1302	1415	1340
Trial: 1 / FS: 512 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3347	4100	3423
Trial: 1 / FS: 512 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3265	4192	3492
Trial: 1 / FS: 512 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1392	1317
Trial: 1 / FS: 512 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1330	1415	1339
Trial: 1 / FS: 1024 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3350	4167	3472

Trial: 1 / FS: 1024 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3245	4222	3536
Trial: 1 / FS: 1024 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1402	1331
Trial: 1 / FS: 1024 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1327	1427	1353
Trial: 1 / FS: 1280 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3347	4260	3521
Trial: 1 / FS: 1280 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3487	4322	3591
Trial: 1 / FS: 1280 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1415	1327
Trial: 1 / FS: 1280 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1322	1435	1349
Trial: 1 / FS: 1518 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3235	4102	3422
Trial: 1 / FS: 1518 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3425	4177	3490
Trial: 1 / FS: 1518 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1305	1392	1317
Trial: 1 / FS: 1518 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1327	1412	1339

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	%	FPS	Mbps	Tx Rate Mbps	Rx Rate Mbps		
Trial: 1 / FS: 64 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 64 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	1320685.0	676.19	Tx : Rx : Loss : Loss% :	26413690 26413690 0 0.000
Trial: 1 / FS: 64 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	13206904.7	6761.94	Tx : Rx : Loss : Loss% :	264136905 264136905 0 0.000
Trial: 1 / FS: 64 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	13206904.7	6761.94	Tx : Rx : Loss : Loss% :	264136905 264136905 0 0.000
Trial: 1 / FS: 64 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05	Tx : Rx : Loss : Loss% :	28087798 28087798 0 0.000
Trial: 1 / FS: 64 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	1404391.1	719.05	Tx : Rx : Loss : Loss% :	28087798 28087798 0 0.000
Trial: 1 / FS: 64 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	14044019.2	7190.54	Tx : Rx : Loss : Loss% :	280877976 280877976 0 0.000
Trial: 1 / FS: 64 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	14044019.2	7190.54	Tx : Rx : Loss : Loss% :	280877976 280877976 0 0.000
Trial: 1 / FS: 64 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.7	740.48	Tx : Rx : Loss : Loss% :	28924851 28924851 0 0.000
Trial: 1 / FS: 64 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	1446242.7	740.48	Tx : Rx : Loss : Loss% :	28924851 28924851 0 0.000
Trial: 1 / FS: 64 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	14462459.7	7404.78	Tx : Rx : Loss : Loss% :	289248512 289248512 0 0.000
Trial: 1 / FS: 64 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	14462459.7	7404.78	Tx : Rx : Loss : Loss% :	289248512 289248512 0 0.000
Trial: 1 / FS: 64 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.8	751.19	Tx : Rx : Loss : Loss% :	29343378 29343378 0 0.000
Trial: 1 / FS: 64 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	1467169.8	751.19	Tx : Rx : Loss : Loss% :	29343378 29343378 0 0.000
Trial: 1 / FS: 64 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	14671832.4	7511.98	Tx : Rx : Loss : Loss% :	293433780 293433780 0 0.000
Trial: 1 / FS: 64 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	14671832.4	7511.98	Tx : Rx : Loss : Loss% :	293433780 293433780 0 0.000

Trial: 1 / FS: 64 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.5	756.55	Tx : Rx : Loss : Loss% :	29552641 29552641 0 0.000
Trial: 1 / FS: 64 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	1477633.5	756.55	Tx : Rx : Loss : Loss% :	29552641 29552641 0 0.000
Trial: 1 / FS: 64 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	14776334.8	7565.48	Tx : Rx : Loss : Loss% :	295526414 295526414 0 0.000
Trial: 1 / FS: 64 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	14776334.8	7565.48	Tx : Rx : Loss : Loss% :	295526414 295526414 0 0.000
Trial: 1 / FS: 64 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.2	761.91	Tx : Rx : Loss : Loss% :	29761905 29761905 0 0.000
Trial: 1 / FS: 64 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	1488095.2	761.91	Tx : Rx : Loss : Loss% :	29761905 29761905 0 0.000
Trial: 1 / FS: 64 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	14880952.4	7619.05	Tx : Rx : Loss : Loss% :	297619048 297619048 0 0.000
Trial: 1 / FS: 64 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	14880952.4	7619.05	Tx : Rx : Loss : Loss% :	297619048 297619048 0 0.000
Trial: 1 / FS: 128 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : Rx : Loss : Loss% :	1689189 1689189 0 0.000
Trial: 1 / FS: 128 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : Rx : Loss : Loss% :	1689189 1689189 0 0.000
Trial: 1 / FS: 128 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : Rx : Loss : Loss% :	9290541 9290541 0 0.000
Trial: 1 / FS: 128 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : Rx : Loss : Loss% :	9290541 9290541 0 0.000
Trial: 1 / FS: 128 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	4645271.8	4756.76	Tx : Rx : Loss : Loss% :	92905405 92905405 0 0.000

Trial: 1 / FS: 128 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	4645271.8	4756.76	Tx : Rx : Loss : Loss% :	92905405 92905405 0 0.000
Trial: 1 / FS: 128 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx : Rx : Loss : Loss% :	13091216 13091216 0 0.000
Trial: 1 / FS: 128 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx : Rx : Loss : Loss% :	13091216 13091216 0 0.000
Trial: 1 / FS: 128 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	6545640.5	6702.74	Tx : Rx : Loss : Loss% :	130912162 130912162 0 0.000
Trial: 1 / FS: 128 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	6545640.5	6702.74	Tx : Rx : Loss : Loss% :	130912162 130912162 0 0.000
Trial: 1 / FS: 128 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx : Rx : Loss : Loss% :	14991554 14991554 0 0.000
Trial: 1 / FS: 128 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx : Rx : Loss : Loss% :	14991554 14991554 0 0.000
Trial: 1 / FS: 128 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	7495812.9	7675.71	Tx : Rx : Loss : Loss% :	149915541 149915541 0 0.000
Trial: 1 / FS: 128 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	7495812.9	7675.71	Tx : Rx : Loss : Loss% :	149915541 149915541 0 0.000
Trial: 1 / FS: 128 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx : Rx : Loss : Loss% :	15941723 15941723 0 0.000
Trial: 1 / FS: 128 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	797086.1	816.22	Tx : Rx : Loss : Loss% :	15941723 15941723 0 0.000
Trial: 1 / FS: 128 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx : Rx : Loss : Loss% :	159417230 159417230 0 0.000
Trial: 1 / FS: 128 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx : Rx : Loss : Loss% :	159417230 159417230 0 0.000
Trial: 1 / FS: 128 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : Rx : Loss : Loss% :	16416807 16416807 0 0.000
Trial: 1 / FS: 128 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : Rx : Loss : Loss% :	16416807 16416807 0 0.000

Trial: 1 / FS: 128 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	8208443.2	8405.45	Tx : Rx : Loss : Loss% :	164168074 164168074 0 0.000
Trial: 1 / FS: 128 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	8208443.2	8405.45	Tx : Rx : Loss : Loss% :	164168074 164168074 0 0.000
Trial: 1 / FS: 128 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : Rx : Loss : Loss% :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : Rx : Loss : Loss% :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx : Rx : Loss : Loss% :	166543497 166543497 0 0.000
Trial: 1 / FS: 128 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx : Rx : Loss : Loss% :	166543497 166543497 0 0.000
Trial: 1 / FS: 128 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : Rx : Loss : Loss% :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : Rx : Loss : Loss% :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx : Rx : Loss : Loss% :	167731208 167731208 0 0.000
Trial: 1 / FS: 128 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx : Rx : Loss : Loss% :	167731208 167731208 0 0.000
Trial: 1 / FS: 128 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx : Rx : Loss : Loss% :	168918919 168918919 0 0.000
Trial: 1 / FS: 128 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx : Rx : Loss : Loss% :	168918919 168918919 0 0.000
Trial: 1 / FS: 256 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : Rx : Loss : Loss% :	905797 905797 0 0.000

Trial: 1 / FS: 256 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : Rx : Loss : Loss% :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	452898.6	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	452898.6	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : Rx : Loss : Loss% :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : Rx : Loss : Loss% :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx : Rx : Loss : Loss% :	49818841 49818841 0 0.000
Trial: 1 / FS: 256 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx : Rx : Loss : Loss% :	49818841 49818841 0 0.000
Trial: 1 / FS: 256 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : Rx : Loss : Loss% :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : Rx : Loss : Loss% :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx : Rx : Loss : Loss% :	70199275 70199275 0 0.000
Trial: 1 / FS: 256 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx : Rx : Loss : Loss% :	70199275 70199275 0 0.000
Trial: 1 / FS: 256 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx : Rx : Loss : Loss% :	80389493 80389493 0 0.000
Trial: 1 / FS: 256 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx : Rx : Loss : Loss% :	80389493 80389493 0 0.000

Trial: 1 / FS: 256 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx : Rx : Loss : Loss% :	85484601 85484601 0 0.000
Trial: 1 / FS: 256 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx : Rx : Loss : Loss% :	85484601 85484601 0 0.000
Trial: 1 / FS: 256 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	4401620.3	9014.52	Tx : Rx : Loss : Loss% :	88032156 88032156 0 0.000
Trial: 1 / FS: 256 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	4401620.3	9014.52	Tx : Rx : Loss : Loss% :	88032156 88032156 0 0.000
Trial: 1 / FS: 256 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx : Rx : Loss : Loss% :	89305933 89305933 0 0.000
Trial: 1 / FS: 256 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx : Rx : Loss : Loss% :	89305933 89305933 0 0.000
Trial: 1 / FS: 256 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx : Rx : Loss : Loss% :	89942822 89942822 0 0.000

Trial: 1 / FS: 256 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx : Rx : Loss : Loss% :	89942822 89942822 0 0.000
Trial: 1 / FS: 256 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx : Rx : Loss : Loss% :	90579710 90579710 0 0.000
Trial: 1 / FS: 256 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx : Rx : Loss : Loss% :	90579710 90579710 0 0.000
Trial: 1 / FS: 512 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx : Rx : Loss : Loss% :	25845865 25845865 0 0.000
Trial: 1 / FS: 512 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx : Rx : Loss : Loss% :	25845865 25845865 0 0.000
Trial: 1 / FS: 512 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000

Trial: 1 / FS: 512 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx : Rx : Loss : Loss% :	36419173 36419173 0 0.000
Trial: 1 / FS: 512 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx : Rx : Loss : Loss% :	36419173 36419173 0 0.000
Trial: 1 / FS: 512 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : Rx : Loss : Loss% :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : Rx : Loss : Loss% :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx : Rx : Loss : Loss% :	41705827 41705827 0 0.000
Trial: 1 / FS: 512 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx : Rx : Loss : Loss% :	41705827 41705827 0 0.000
Trial: 1 / FS: 512 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : Rx : Loss : Loss% :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : Rx : Loss : Loss% :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx : Rx : Loss : Loss% :	44349154 44349154 0 0.000
Trial: 1 / FS: 512 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx : Rx : Loss : Loss% :	44349154 44349154 0 0.000
Trial: 1 / FS: 512 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : Rx : Loss : Loss% :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : Rx : Loss : Loss% :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx : Rx : Loss : Loss% :	45670818 45670818 0 0.000
Trial: 1 / FS: 512 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx : Rx : Loss : Loss% :	45670818 45670818 0 0.000
Trial: 1 / FS: 512 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000

Trial: 1 / FS: 512 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	2316582.7	9488.72	Tx : Rx : Loss : Loss% :	46331649 46331649 0 0.000
Trial: 1 / FS: 512 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	2316582.8	9488.72	Tx : Rx : Loss : Loss% :	46331649 46331649 0 0.000
Trial: 1 / FS: 512 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx : Rx : Loss : Loss% :	46662065 46662065 0 0.000
Trial: 1 / FS: 512 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx : Rx : Loss : Loss% :	46662065 46662065 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	2349624.1	9624.06	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 512 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	2349624.1	9624.06	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000

Trial: 1 / FS: 1024 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx : Rx : Loss : Loss% :	13170498 13170498 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx : Rx : Loss : Loss% :	13170498 13170498 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx : Rx : Loss : Loss% :	18558429 18558429 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx : Rx : Loss : Loss% :	18558429 18558429 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx : Rx : Loss : Loss% :	21252395 21252395 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx : Rx : Loss : Loss% :	21252395 21252395 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx : Rx : Loss : Loss% :	22599377 22599377 0 0.000

Trial: 1 / FS: 1024 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx : Rx : Loss : Loss% :	22599377 22599377 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx : Rx : Loss : Loss% :	23272869 23272869 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx : Rx : Loss : Loss% :	23272869 23272869 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	1180480.8	9670.50	Tx : Rx : Loss : Loss% :	23609614 23609614 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	1180480.8	9670.50	Tx : Rx : Loss : Loss% :	23609614 23609614 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx : Rx : Loss : Loss% :	23777987 23777987 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx : Rx : Loss : Loss% :	23777987 23777987 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000

Trial: 1 / FS: 1024 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : Rx : Loss : Loss% :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : Rx : Loss : Loss% :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : Rx : Loss : Loss% :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : Rx : Loss : Loss% :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx : Rx : Loss : Loss% :	10576923 10576923 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx : Rx : Loss : Loss% :	10576923 10576923 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : Rx : Loss : Loss% :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : Rx : Loss : Loss% :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx : Rx : Loss : Loss% :	14903846 14903846 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx : Rx : Loss : Loss% :	14903846 14903846 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : Rx : Loss : Loss% :	1706731 1706731 0 0.000

Trial: 1 / FS: 1280 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : Rx : Loss : Loss% :	1706731 1706731 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx : Rx : Loss : Loss% :	17067308 17067308 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx : Rx : Loss : Loss% :	17067308 17067308 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : Rx : Loss : Loss% :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : Rx : Loss : Loss% :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx : Rx : Loss : Loss% :	18149038 18149038 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx : Rx : Loss : Loss% :	18149038 18149038 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : Rx : Loss : Loss% :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : Rx : Loss : Loss% :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx : Rx : Loss : Loss% :	18689904 18689904 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx : Rx : Loss : Loss% :	18689904 18689904 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : Rx : Loss : Loss% :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : Rx : Loss : Loss% :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx : Rx : Loss : Loss% :	18960337 18960337 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx : Rx : Loss : Loss% :	18960337 18960337 0 0.000

Trial: 1 / FS: 1280 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx : Rx : Loss : Loss% :	19095553 19095553 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx : Rx : Loss : Loss% :	19095553 19095553 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx : Rx : Loss : Loss% :	8940182 8940182 0 0.000

Trial: 1 / FS: 1518 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx : Rx : Loss : Loss% :	8940182 8940182 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : Rx : Loss : Loss% :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : Rx : Loss : Loss% :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx : Rx : Loss : Loss% :	12597529 12597529 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx : Rx : Loss : Loss% :	12597529 12597529 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : Rx : Loss : Loss% :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : Rx : Loss : Loss% :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx : Rx : Loss : Loss% :	14426203 14426203 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx : Rx : Loss : Loss% :	14426203 14426203 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : Rx : Loss : Loss% :	1534054 1534054 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : Rx : Loss : Loss% :	1534054 1534054 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx : Rx : Loss : Loss% :	15340540 15340540 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx : Rx : Loss : Loss% :	15340540 15340540 0 0.000
Trial: 1 / FS: 1518 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : Rx : Loss : Loss% :	1579771 1579771 0 0.000
Trial: 1 / FS: 1518 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : Rx : Loss : Loss% :	1579771 1579771 0 0.000

Trial: 1 / FS: 1518 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx : Rx : Loss : Loss% :	15797708 15797708 0 0.000
Trial: 1 / FS: 1518 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx : Rx : Loss : Loss% :	15797708 15797708 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : Rx : Loss : Loss% :	1602629 1602629 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : Rx : Loss : Loss% :	1602629 1602629 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx : Rx : Loss : Loss% :	16026292 16026292 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx : Rx : Loss : Loss% :	16026292 16026292 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : Rx : Loss : Loss% :	1614058 1614058 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : Rx : Loss : Loss% :	1614058 1614058 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx : Rx : Loss : Loss% :	16140584 16140584 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx : Rx : Loss : Loss% :	16140584 16140584 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx : Rx : Loss : Loss% :	16254876 16254876 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx : Rx : Loss : Loss% :	16254876 16254876 0 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2772	3140	2959.00
Trial: 1 / FS: 64 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2832	3200	3026.00
Trial: 1 / FS: 64 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1190	1242	1215.00
Trial: 1 / FS: 64 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1215	1300	1240.00
Trial: 1 / FS: 64 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2772	3732	2957.00
Trial: 1 / FS: 64 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2830	3792	3025.00
Trial: 1 / FS: 64 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1187	1287	1215.00
Trial: 1 / FS: 64 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1212	1327	1240.00
Trial: 1 / FS: 64 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2802	3682	2967.00
Trial: 1 / FS: 64 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2862	3742	3034.00
Trial: 1 / FS: 64 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1187	1280	1215.00
Trial: 1 / FS: 64 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1212	1325	1240.00
Trial: 1 / FS: 64 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2835	3780	2986.00
Trial: 1 / FS: 64 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2895	3840	3054.00
Trial: 1 / FS: 64 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1195	1305	1219.00
Trial: 1 / FS: 64 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1220	1327	1245.00
Trial: 1 / FS: 64 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2867	3732	3013.00
Trial: 1 / FS: 64 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2927	3807	3081.00
Trial: 1 / FS: 64 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1202	1295	1224.00

Trial: 1 / FS: 64 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1227	1325	1250.00
Trial: 1 / FS: 64 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2885	3780	3042.00
Trial: 1 / FS: 64 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2990	3807	3109.00
Trial: 1 / FS: 64 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1197	1302	1228.00
Trial: 1 / FS: 64 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1232	1327	1252.00
Trial: 1 / FS: 64 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2962	3782	3066.00
Trial: 1 / FS: 64 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2912	3825	3134.00
Trial: 1 / FS: 64 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1215	1302	1230.00
Trial: 1 / FS: 64 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1237	1330	1253.00
Trial: 1 / FS: 64 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	2995	3797	3082.00
Trial: 1 / FS: 64 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3007	3857	3151.00
Trial: 1 / FS: 64 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1197	1310	1233.00
Trial: 1 / FS: 64 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1235	1332	1255.00
Trial: 1 / FS: 64 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3015	3800	3109.00
Trial: 1 / FS: 64 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	2925	3855	3172.00
Trial: 1 / FS: 64 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1200	1312	1237.00
Trial: 1 / FS: 64 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1232	1335	1259.00
Trial: 1 / FS: 128 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3107	3475	3293.00
Trial: 1 / FS: 128 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3167	3537	3362.00
Trial: 1 / FS: 128 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1296.00
Trial: 1 / FS: 128 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1347	1321.00

Trial: 1 / FS: 128 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3107	3507	3292.00
Trial: 1 / FS: 128 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3167	3585	3360.00
Trial: 1 / FS: 128 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1296.00
Trial: 1 / FS: 128 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1380	1321.00
Trial: 1 / FS: 128 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3095	3797	3295.00
Trial: 1 / FS: 128 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3165	3822	3358.00
Trial: 1 / FS: 128 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1345	1296.00
Trial: 1 / FS: 128 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1380	1321.00
Trial: 1 / FS: 128 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3107	3987	3292.00
Trial: 1 / FS: 128 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3167	4000	3360.00
Trial: 1 / FS: 128 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1367	1296.00
Trial: 1 / FS: 128 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1387	1322.00
Trial: 1 / FS: 128 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3170	4050	3322.00
Trial: 1 / FS: 128 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3230	4065	3391.00
Trial: 1 / FS: 128 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1375	1296.00
Trial: 1 / FS: 128 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1400	1322.00
Trial: 1 / FS: 128 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3187	4035	3366.00
Trial: 1 / FS: 128 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3295	4130	3434.00
Trial: 1 / FS: 128 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1380	1297.00
Trial: 1 / FS: 128 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1405	1322.00
Trial: 1 / FS: 128 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3267	4100	3389.00

Trial: 1 / FS: 128 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	4192	3457.00
Trial: 1 / FS: 128 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1372	1299.00
Trial: 1 / FS: 128 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1410	1323.00
Trial: 1 / FS: 128 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3330	4085	3407.00
Trial: 1 / FS: 128 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3295	4177	3476.00
Trial: 1 / FS: 128 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1290	1385	1308.00
Trial: 1 / FS: 128 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1300	1405	1331.00
Trial: 1 / FS: 128 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3267	4132	3441.00
Trial: 1 / FS: 128 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3470	4192	3510.00
Trial: 1 / FS: 128 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1307	1392	1318.00
Trial: 1 / FS: 128 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1415	1340.00
Trial: 1 / FS: 256 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3095	3447	3278.00
Trial: 1 / FS: 256 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3517	3341.00
Trial: 1 / FS: 256 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1296.00
Trial: 1 / FS: 256 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1347	1321.00
Trial: 1 / FS: 256 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	3462	3278.00
Trial: 1 / FS: 256 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	3697	3345.00
Trial: 1 / FS: 256 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1296.00
Trial: 1 / FS: 256 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1347	1321.00
Trial: 1 / FS: 256 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3080	3655	3280.00
Trial: 1 / FS: 256 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3520	3343.00

Trial: 1 / FS: 256 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1345	1296.00
Trial: 1 / FS: 256 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1365	1321.00
Trial: 1 / FS: 256 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3077	3830	3278.00
Trial: 1 / FS: 256 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	3887	3345.00
Trial: 1 / FS: 256 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1357	1296.00
Trial: 1 / FS: 256 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1377	1321.00
Trial: 1 / FS: 256 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	3987	3278.00
Trial: 1 / FS: 256 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	4017	3345.00
Trial: 1 / FS: 256 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1275	1370	1299.00
Trial: 1 / FS: 256 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1300	1395	1324.00
Trial: 1 / FS: 256 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	4022	3278.00
Trial: 1 / FS: 256 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	4015	3345.00
Trial: 1 / FS: 256 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1382	1303.00
Trial: 1 / FS: 256 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1402	1328.00
Trial: 1 / FS: 256 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	4052	3282.00
Trial: 1 / FS: 256 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	4097	3350.00
Trial: 1 / FS: 256 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1382	1305.00
Trial: 1 / FS: 256 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1315	1402	1331.00
Trial: 1 / FS: 256 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3222	4120	3355.00
Trial: 1 / FS: 256 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3292	4127	3418.00
Trial: 1 / FS: 256 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1287	1382	1308.00

Trial: 1 / FS: 256 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1315	1407	1332.00
Trial: 1 / FS: 256 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3350	4117	3427.00
Trial: 1 / FS: 256 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3250	4195	3495.00
Trial: 1 / FS: 256 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1305	1392	1318.00
Trial: 1 / FS: 256 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1302	1415	1340.00
Trial: 1 / FS: 512 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3095	3445	3276.00
Trial: 1 / FS: 512 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3147	3517	3338.00
Trial: 1 / FS: 512 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1296.00
Trial: 1 / FS: 512 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1347	1321.00
Trial: 1 / FS: 512 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3635	3275.00
Trial: 1 / FS: 512 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3695	3343.00
Trial: 1 / FS: 512 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1352	1296.00
Trial: 1 / FS: 512 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1367	1321.00
Trial: 1 / FS: 512 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3605	3275.00
Trial: 1 / FS: 512 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3520	3343.00
Trial: 1 / FS: 512 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1322	1295.00
Trial: 1 / FS: 512 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1347	1321.00
Trial: 1 / FS: 512 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3540	3275.00
Trial: 1 / FS: 512 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3585	3343.00
Trial: 1 / FS: 512 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1325	1295.00
Trial: 1 / FS: 512 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1362	1321.00

Trial: 1 / FS: 512 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3842	3275.00
Trial: 1 / FS: 512 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3887	3343.00
Trial: 1 / FS: 512 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1360	1295.00
Trial: 1 / FS: 512 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1387	1321.00
Trial: 1 / FS: 512 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3170	3970	3306.00
Trial: 1 / FS: 512 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3245	4000	3373.00
Trial: 1 / FS: 512 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1272	1362	1298.00
Trial: 1 / FS: 512 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1297	1400	1323.00
Trial: 1 / FS: 512 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3155	4035	3327.00
Trial: 1 / FS: 512 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3245	4095	3395.00
Trial: 1 / FS: 512 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1280	1375	1303.00
Trial: 1 / FS: 512 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1397	1328.00
Trial: 1 / FS: 512 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3250	4082	3354.00
Trial: 1 / FS: 512 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3295	4127	3422.00
Trial: 1 / FS: 512 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1287	1380	1306.00
Trial: 1 / FS: 512 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1302	1410	1331.00
Trial: 1 / FS: 512 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3347	4100	3423.00
Trial: 1 / FS: 512 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3265	4192	3492.00
Trial: 1 / FS: 512 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1392	1317.00
Trial: 1 / FS: 512 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1330	1415	1339.00
Trial: 1 / FS: 1024 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3140	3507	3326.00

Trial: 1 / FS: 1024 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	3567	3393.00
Trial: 1 / FS: 1024 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1335	1310.00
Trial: 1 / FS: 1024 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1362	1335.00
Trial: 1 / FS: 1024 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3125	3510	3323.00
Trial: 1 / FS: 1024 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	3840	3392.00
Trial: 1 / FS: 1024 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1352	1310.00
Trial: 1 / FS: 1024 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1362	1335.00
Trial: 1 / FS: 1024 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3140	3510	3324.00
Trial: 1 / FS: 1024 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	3570	3391.00
Trial: 1 / FS: 1024 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1355	1310.00
Trial: 1 / FS: 1024 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1362	1335.00
Trial: 1 / FS: 1024 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3140	3747	3324.00
Trial: 1 / FS: 1024 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	3682	3391.00
Trial: 1 / FS: 1024 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1337	1309.00
Trial: 1 / FS: 1024 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1392	1335.00
Trial: 1 / FS: 1024 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3140	3605	3323.00
Trial: 1 / FS: 1024 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	3745	3392.00
Trial: 1 / FS: 1024 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1360	1310.00
Trial: 1 / FS: 1024 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1372	1335.00
Trial: 1 / FS: 1024 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3155	3892	3329.00
Trial: 1 / FS: 1024 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3230	3920	3397.00

Trial: 1 / FS: 1024 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1375	1310.00
Trial: 1 / FS: 1024 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1397	1335.00
Trial: 1 / FS: 1024 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3172	4005	3342.00
Trial: 1 / FS: 1024 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3230	4080	3410.00
Trial: 1 / FS: 1024 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1382	1310.00
Trial: 1 / FS: 1024 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1405	1335.00
Trial: 1 / FS: 1024 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3222	4135	3367.00
Trial: 1 / FS: 1024 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3292	4125	3430.00
Trial: 1 / FS: 1024 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1282	1395	1310.00
Trial: 1 / FS: 1024 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1307	1415	1336.00
Trial: 1 / FS: 1024 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3350	4167	3472.00
Trial: 1 / FS: 1024 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3245	4222	3536.00
Trial: 1 / FS: 1024 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1402	1331.00
Trial: 1 / FS: 1024 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1327	1427	1353.00
Trial: 1 / FS: 1280 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3252	3620	3438.00
Trial: 1 / FS: 1280 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	3680	3505.00
Trial: 1 / FS: 1280 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1297	1347	1321.00
Trial: 1 / FS: 1280 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1322	1372	1346.00
Trial: 1 / FS: 1280 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3252	3622	3436.00
Trial: 1 / FS: 1280 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	3682	3504.00
Trial: 1 / FS: 1280 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1350	1322.00

Trial: 1 / FS: 1280 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1320	1375	1347.00
Trial: 1 / FS: 1280 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3235	3622	3436.00
Trial: 1 / FS: 1280 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	3682	3504.00
Trial: 1 / FS: 1280 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1280 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1320	1375	1347.00
Trial: 1 / FS: 1280 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3252	3622	3435.00
Trial: 1 / FS: 1280 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	3682	3504.00
Trial: 1 / FS: 1280 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1280 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1320	1375	1347.00
Trial: 1 / FS: 1280 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3255	3625	3438.00
Trial: 1 / FS: 1280 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3310	3710	3501.00
Trial: 1 / FS: 1280 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1280 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1320	1377	1347.00
Trial: 1 / FS: 1280 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3237	3957	3436.00
Trial: 1 / FS: 1280 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	3905	3504.00
Trial: 1 / FS: 1280 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1385	1322.00
Trial: 1 / FS: 1280 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1322	1397	1348.00
Trial: 1 / FS: 1280 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3252	4067	3442.00
Trial: 1 / FS: 1280 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3312	4177	3511.00
Trial: 1 / FS: 1280 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1295	1392	1323.00
Trial: 1 / FS: 1280 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1322	1417	1348.00

Trial: 1 / FS: 1280 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3315	4197	3479.00
Trial: 1 / FS: 1280 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3392	4207	3547.00
Trial: 1 / FS: 1280 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1297	1405	1323.00
Trial: 1 / FS: 1280 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1320	1432	1349.00
Trial: 1 / FS: 1280 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3347	4260	3521.00
Trial: 1 / FS: 1280 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3487	4322	3591.00
Trial: 1 / FS: 1280 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1302	1415	1327.00
Trial: 1 / FS: 1280 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1322	1435	1349.00
Trial: 1 / FS: 1518 / Iter: 1	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	3732	3273.00
Trial: 1 / FS: 1518 / Iter: 1	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3152	3520	3341.00
Trial: 1 / FS: 1518 / Iter: 1	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1325	1297.00
Trial: 1 / FS: 1518 / Iter: 1	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1518 / Iter: 2	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3462	3276.00
Trial: 1 / FS: 1518 / Iter: 2	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3522	3341.00
Trial: 1 / FS: 1518 / Iter: 2	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1325	1297.00
Trial: 1 / FS: 1518 / Iter: 2	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1518 / Iter: 3	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3090	3462	3276.00
Trial: 1 / FS: 1518 / Iter: 3	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3582	3341.00
Trial: 1 / FS: 1518 / Iter: 3	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1347	1297.00
Trial: 1 / FS: 1518 / Iter: 3	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1518 / Iter: 4	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3077	3625	3279.00

Trial: 1 / FS: 1518 / Iter: 4	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3147	3520	3338.00
Trial: 1 / FS: 1518 / Iter: 4	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1325	1297.00
Trial: 1 / FS: 1518 / Iter: 4	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1518 / Iter: 5	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3092	3465	3279.00
Trial: 1 / FS: 1518 / Iter: 5	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3147	3520	3338.00
Trial: 1 / FS: 1518 / Iter: 5	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1325	1297.00
Trial: 1 / FS: 1518 / Iter: 5	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1350	1322.00
Trial: 1 / FS: 1518 / Iter: 6	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3075	3732	3276.00
Trial: 1 / FS: 1518 / Iter: 6	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3807	3341.00
Trial: 1 / FS: 1518 / Iter: 6	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1335	1297.00
Trial: 1 / FS: 1518 / Iter: 6	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1372	1322.00
Trial: 1 / FS: 1518 / Iter: 7	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3095	3910	3283.00
Trial: 1 / FS: 1518 / Iter: 7	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3150	3932	3341.00
Trial: 1 / FS: 1518 / Iter: 7	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1270	1362	1297.00
Trial: 1 / FS: 1518 / Iter: 7	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1295	1387	1322.00
Trial: 1 / FS: 1518 / Iter: 8	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3140	4020	3315.00
Trial: 1 / FS: 1518 / Iter: 8	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3200	4050	3381.00
Trial: 1 / FS: 1518 / Iter: 8	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1272	1372	1299.00
Trial: 1 / FS: 1518 / Iter: 8	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1297	1392	1324.00
Trial: 1 / FS: 1518 / Iter: 9	4-11	4-12	S5500-48T6SP-R-Endpoint Set-1 - Flow Group 0001	3235	4102	3422.00
Trial: 1 / FS: 1518 / Iter: 9	4-12	4-11	S5500-48T6SP-R-Endpoint Set-2 - Flow Group 0001	3425	4177	3490.00

Trial: 1 / FS: 1518 / Iter: 9	4-13	4-14	S5500-48T6SP-R-Endpoint Set-3 - Flow Group 0001	1305	1392	1317.00
Trial: 1 / FS: 1518 / Iter: 9	4-14	4-13	S5500-48T6SP-R-Endpoint Set-4 - Flow Group 0001	1327	1412	1339.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730