



IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 01/04/2026 15:37:17

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	Iteration Charts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	29
10.	Theoretical Max Rates	59

RFC2544 - Throughput/Latency - Info**Test Information****Product Information**

Product Label :	S3400-24T4SP
Product Version :	2.2.0F Build 131320
Serial Number :	CG2507148606N00166
Comments :	

Test Settings

Date Executed :	01/04/2026
Time Executed :	15:37:17
User Name :	
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward

Output Parameters


Number of Trials Passed :	N/A
Test Duration (sec) :	00:37:08

RFC2544 - Throughput/Latency - Port Map Information

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.36.15.200;07;13	1000	10.36.15.200;07;14	1000
	10.36.15.200;07;14	1000	10.36.15.200;07;13	1000
	10.36.15.200;08;14	10000	10.36.15.200;08;03	10000
	10.36.15.200;08;03	10000	10.36.15.200;08;14	10000



RFC2544 - Throughput/Latency - Aggregated Graph


Total Frames Transmitted and Received



RFC2544 - Throughput/Latency - Aggregated Graph

Tx / Rx Frames per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph**Aggregated Frame Loss**

Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Line Rate




RFC2544 - Throughput/Latency - Per Flow Graph

Average Frame Loss per Flow





RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Latency



RFC2544 - Throughput/Latency - Per Flow Graph


Tx / Rx Frame Count




Trial

RFC2544 - Throughput/Latency - Iteration Graph


Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128




Aggregated Frame Loss for Trial 1 and Framesize 256




Aggregated Frame Loss for Trial 1 and Framesize 512




Aggregated Frame Loss for Trial 1 and Framesize 1024



Aggregated Frame Loss for Trial 1 and Framesize 1280




Aggregated Frame Loss for Trial 1 and Framesize 1518




RFC2544 - Throughput/Latency - Iteration Graph

Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput	Throughput (frames)	Agg Latency (ns)		
	AggTx Rate %	Agg Rx Rate							
		%	FPS	Mbps					
Trial: 1 / FS: 64 / Iter: 9	100.00	100	32738094.7	16761.904	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	654761906.000 654761906.000 0 0.00	Min : Max : Average : 	2747 45365 23965.000
Trial: 1 / FS: 128 / Iter: 9	100.00	100	18581080.7	19027.027	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	371621622.000 371621622.000 0 0.00	Min : Max : Average : 	2827 52197 27414.250
Trial: 1 / FS: 256 / Iter: 9	100.00	100	9963768.0	20405.797	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	199275362.000 199275362.000 0 0.00	Min : Max : Average : 	2912 61862 32271.750
Trial: 1 / FS: 512 / Iter: 9	100.00	100	5169172.9	21172.932	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	103383458.000 103383458.000 0 0.00	Min : Max : Average : 	3092 84372 43634.500
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	2634099.6	21578.544	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	52681992.000 52681992.000 0 0.00	Min : Max : Average : 	3557 131237 67279.250
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	2115384.6	21661.538	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	42307692.000 42307692.000 0 0.00	Min : Max : Average : 	3737 155187 79353.000
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	1788036.4	21713.914	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : Rx : Loss : Loss% :	35760728.000 35760728.000 0 0.00	Min : Max : Average : 	3920 172837 88250.750

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	3273809.5	1676.190			Tx : 65476190.000 Rx : 65476190.000 Loss : 0 Loss% : 0.00	2685	43442	22684.000	
Trial: 1 / FS: 64 / Iter: 2	55	55	18006028.8	9219.087			Tx : 360119048.000 Rx : 360119048.000 Loss : 0 Loss% : 0.00	2687	43460	22684.750	
Trial: 1 / FS: 64 / Iter: 3	78	78	25372106.0	12990.518			Tx : 507440476.000 Rx : 507440476.000 Loss : 0 Loss% : 0.00	2700	43460	22691.750	
Trial: 1 / FS: 64 / Iter: 4	89	89	29055179.5	14876.252			Tx : 581101190.000 Rx : 581101190.000 Loss : 0 Loss% : 0.00	2727	43797	22936.250	
Trial: 1 / FS: 64 / Iter: 5	94	94	30896820.5	15819.172			Tx : 617931548.000 Rx : 617931548.000 Loss : 0 Loss% : 0.00	2705	44150	23208.500	
Trial: 1 / FS: 64 / Iter: 6	97	97	31817404.7	16290.511			Tx : 636346726.000 Rx : 636346726.000 Loss : 0 Loss% : 0.00	2742	44532	23340.250	
Trial: 1 / FS: 64 / Iter: 7	99	99	32278004.0	16526.338			Tx : 645554316.000 Rx : 645554316.000 Loss : 0 Loss% : 0.00	2732	44867	23481.500	
Trial: 1 / FS: 64 / Iter: 8	99	99	32507936.2	16644.063			Tx : 650158110.000 Rx : 650158110.000 Loss : 0 Loss% : 0.00	2747	45030	23564.000	
Trial: 1 / FS: 64 / Iter: 9	100	100	32738094.7	16761.904			Tx : 654761906.000 Rx : 654761906.000 Loss : 0 Loss% : 0.00	2747	45365	23965.000	
Trial: 1 / FS: 128 / Iter: 1	10	10	1858108.1	1902.703			Tx : 37162162.000 Rx : 37162162.000 Loss : 0 Loss% : 0.00	2752	49765	25753.500	
Trial: 1 / FS: 128 / Iter: 2	55	55	10219597.9	10464.868			Tx : 204391892.000 Rx : 204391892.000 Loss : 0 Loss% : 0.00	2752	49765	25755.250	
Trial: 1 / FS: 128 / Iter: 3	78	78	14400403.1	14746.013			Tx : 288006756.000 Rx : 288006756.000 Loss : 0 Loss% : 0.00	2760	49925	25833.250	
Trial: 1 / FS: 128 / Iter: 4	89	89	16490781.3	16886.560			Tx : 329814190.000 Rx : 329814190.000 Loss : 0 Loss% : 0.00	2792	50310	25952.000	

Trial: 1 / FS: 128 / Iter: 5	94	94	17535984.7	17956.848	Tx : Rx : Loss : Loss% :	350717906.000 350717906.000 0 0.00	2800	50470	26057.750
Trial: 1 / FS: 128 / Iter: 6	97	97	18058567.5	18491.973	Tx : Rx : Loss : Loss% :	361169762.000 361169762.000 0 0.00	2815	50532	26147.250
Trial: 1 / FS: 128 / Iter: 7	99	99	18319849.2	18759.526	Tx : Rx : Loss : Loss% :	366395694.000 366395694.000 0 0.00	2827	50467	26389.750
Trial: 1 / FS: 128 / Iter: 8	99	99	18450449.1	18893.260	Tx : Rx : Loss : Loss% :	369008658.000 369008658.000 0 0.00	2817	51110	26827.250
Trial: 1 / FS: 128 / Iter: 9	100	100	18581080.7	19027.027	Tx : Rx : Loss : Loss% :	371621622.000 371621622.000 0 0.00	2827	52197	27414.250
Trial: 1 / FS: 256 / Iter: 1	10	10	996376.8	2040.580	Tx : Rx : Loss : Loss% :	19927536.000 19927536.000 0 0.00	2832	60677	31231.500
Trial: 1 / FS: 256 / Iter: 2	55	55	5480080.4	11223.205	Tx : Rx : Loss : Loss% :	109601450.000 109601450.000 0 0.00	2832	60695	31229.500
Trial: 1 / FS: 256 / Iter: 3	78	78	7721922.8	15814.498	Tx : Rx : Loss : Loss% :	154438406.000 154438406.000 0 0.00	2837	60695	31239.000
Trial: 1 / FS: 256 / Iter: 4	89	89	8842859.0	18110.175	Tx : Rx : Loss : Loss% :	176856884.000 176856884.000 0 0.00	2850	60695	31283.750
Trial: 1 / FS: 256 / Iter: 5	94	94	9403310.2	19257.979	Tx : Rx : Loss : Loss% :	188066122.000 188066122.000 0 0.00	2880	60902	31462.750
Trial: 1 / FS: 256 / Iter: 6	97	97	9683562.3	19831.936	Tx : Rx : Loss : Loss% :	193670744.000 193670744.000 0 0.00	2895	61110	31634.500
Trial: 1 / FS: 256 / Iter: 7	99	99	9823655.6	20118.847	Tx : Rx : Loss : Loss% :	196473052.000 196473052.000 0 0.00	2907	61222	31726.000
Trial: 1 / FS: 256 / Iter: 8	99	99	9893719.1	20262.337	Tx : Rx : Loss : Loss% :	197874208.000 197874208.000 0 0.00	2917	61255	31791.750
Trial: 1 / FS: 256 / Iter: 9	100	100	9963768.0	20405.797	Tx : Rx : Loss : Loss% :	199275362.000 199275362.000 0 0.00	2912	61862	32271.750
Trial: 1 / FS: 512 / Iter: 1	10	10	516917.3	2117.293	Tx : Rx : Loss : Loss% :	10338346.000 10338346.000 0 0.00	3042	83187	42737.500

Trial: 1 / FS: 512 / Iter: 2	55	55	2843045.8	11645.116	Tx : Rx : Loss : Loss% :	56860902.000 56860902.000 0 0.00	3042	83187	42737.000
Trial: 1 / FS: 512 / Iter: 3	78	78	4006111.4	16409.032	Tx : Rx : Loss : Loss% :	80122180.000 80122180.000 0 0.00	3042	83187	42737.000
Trial: 1 / FS: 512 / Iter: 4	89	89	4587641.6	18790.980	Tx : Rx : Loss : Loss% :	91752820.000 91752820.000 0 0.00	3052	83187	42740.250
Trial: 1 / FS: 512 / Iter: 5	94	94	4878411.7	19981.974	Tx : Rx : Loss : Loss% :	97568138.000 97568138.000 0 0.00	3075	83187	42777.250
Trial: 1 / FS: 512 / Iter: 6	97	97	5023789.9	20577.444	Tx : Rx : Loss : Loss% :	100475800.000 100475800.000 0 0.00	3082	83285	42857.000
Trial: 1 / FS: 512 / Iter: 7	99	99	5096482.0	20875.190	Tx : Rx : Loss : Loss% :	101929628.000 101929628.000 0 0.00	3090	83475	42974.250
Trial: 1 / FS: 512 / Iter: 8	99	99	5132831.6	21024.078	Tx : Rx : Loss : Loss% :	102656544.000 102656544.000 0 0.00	3112	83572	43047.500
Trial: 1 / FS: 512 / Iter: 9	100	100	5169172.9	21172.932	Tx : Rx : Loss : Loss% :	103383458.000 103383458.000 0 0.00	3092	84372	43634.500
Trial: 1 / FS: 1024 / Iter: 1	10	10	263410.0	2157.854	Tx : Rx : Loss : Loss% :	5268200.000 5268200.000 0 0.00	3467	128085	65526.250
Trial: 1 / FS: 1024 / Iter: 2	55	55	1448754.9	11868.200	Tx : Rx : Loss : Loss% :	28975096.000 28975096.000 0 0.00	3467	128085	65526.750
Trial: 1 / FS: 1024 / Iter: 3	78	78	2041427.4	16723.373	Tx : Rx : Loss : Loss% :	40828544.000 40828544.000 0 0.00	3467	128085	65527.250
Trial: 1 / FS: 1024 / Iter: 4	89	89	2337763.7	19150.960	Tx : Rx : Loss : Loss% :	46755268.000 46755268.000 0 0.00	3467	128085	65526.750
Trial: 1 / FS: 1024 / Iter: 5	94	94	2485932.7	20364.760	Tx : Rx : Loss : Loss% :	49718630.000 49718630.000 0 0.00	3470	128085	65531.500
Trial: 1 / FS: 1024 / Iter: 6	97	97	2560016.2	20971.653	Tx : Rx : Loss : Loss% :	51200312.000 51200312.000 0 0.00	3482	128085	65560.500
Trial: 1 / FS: 1024 / Iter: 7	99	99	2597057.6	21275.096	Tx : Rx : Loss : Loss% :	51941150.000 51941150.000 0 0.00	3502	128085	65593.000

Trial: 1 / FS: 1024 / Iter: 8	99	99	2615578.7	21426.820	Tx : Rx : Loss : Loss% :	52311572.000 52311572.000 0 0.00	3512	128770	65982.750
Trial: 1 / FS: 1024 / Iter: 9	100	100	2634099.6	21578.544	Tx : Rx : Loss : Loss% :	52681992.000 52681992.000 0 0.00	3557	131237	67279.250
Trial: 1 / FS: 1280 / Iter: 1	10	10	211538.5	2166.154	Tx : Rx : Loss : Loss% :	4230770.000 4230770.000 0 0.00	3697	154132	78477.750
Trial: 1 / FS: 1280 / Iter: 2	55	55	1163461.8	11913.849	Tx : Rx : Loss : Loss% :	23269230.000 23269230.000 0 0.00	3697	154132	78478.250
Trial: 1 / FS: 1280 / Iter: 3	78	78	1639423.4	16787.696	Tx : Rx : Loss : Loss% :	32788462.000 32788462.000 0 0.00	3697	154132	78478.000
Trial: 1 / FS: 1280 / Iter: 4	89	89	1877404.6	19224.623	Tx : Rx : Loss : Loss% :	37548078.000 37548078.000 0 0.00	3697	154132	78478.250
Trial: 1 / FS: 1280 / Iter: 5	94	94	1996394.3	20443.078	Tx : Rx : Loss : Loss% :	39927884.000 39927884.000 0 0.00	3702	154147	78478.500
Trial: 1 / FS: 1280 / Iter: 6	97	97	2055890.1	21052.314	Tx : Rx : Loss : Loss% :	41117788.000 41117788.000 0 0.00	3710	154135	78483.750
Trial: 1 / FS: 1280 / Iter: 7	99	99	2085637.0	21356.923	Tx : Rx : Loss : Loss% :	41712742.000 41712742.000 0 0.00	3730	154132	78490.750
Trial: 1 / FS: 1280 / Iter: 8	99	99	2100511.2	21509.235	Tx : Rx : Loss : Loss% :	42010216.000 42010216.000 0 0.00	3755	154132	78498.000
Trial: 1 / FS: 1280 / Iter: 9	100	100	2115384.6	21661.538	Tx : Rx : Loss : Loss% :	42307692.000 42307692.000 0 0.00	3737	155187	79353.000
Trial: 1 / FS: 1518 / Iter: 1	10	10	178803.6	2171.391	Tx : Rx : Loss : Loss% :	3576074.000 3576074.000 0 0.00	3847	171542	87323.750
Trial: 1 / FS: 1518 / Iter: 2	55	55	983420.1	11942.654	Tx : Rx : Loss : Loss% :	19668400.000 19668400.000 0 0.00	3847	171542	87322.750
Trial: 1 / FS: 1518 / Iter: 3	78	78	1385728.5	16828.287	Tx : Rx : Loss : Loss% :	27714564.000 27714564.000 0 0.00	3847	171542	87323.000
Trial: 1 / FS: 1518 / Iter: 4	89	89	1586882.9	19271.106	Tx : Rx : Loss : Loss% :	31737646.000 31737646.000 0 0.00	3847	171542	87323.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	1687460.2	20492.517	Tx :	33749188.000	3847	171542	87323.750
					Rx :	33749188.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 6	97	97	1737748.1	21103.213	Tx :	34754958.000	3862	171542	87345.000
					Rx :	34754958.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 7	99	99	1762892.2	21408.563	Tx :	35257842.000	3887	171587	87370.750
					Rx :	35257842.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 8	99	99	1775464.3	21561.238	Tx :	35509284.000	3900	171827	87560.000
					Rx :	35509284.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 9	100	100	1788036.4	21713.914	Tx :	35760728.000	3920	172837	88250.750
					Rx :	35760728.000			
					Loss :	0			
					Loss% :	0.00			

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput	Throughput (frames)		
				Tx Rate %	Rx Rate						
					%	FPS	Mbps				
Trial: 1 / FS: 64 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.0	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	29761905 29761905 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 64 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	1488095.1	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	29761905 29761905 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 64 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	14880952.3	7619.05	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	297619048 297619048 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 64 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	14880952.3	7619.05	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	297619048 297619048 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 128 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.5	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	16891892 16891892 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 128 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	844594.4	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	16891892 16891892 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 128 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	8445945.9	8648.65	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	168918919 168918919 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 128 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	8445945.9	8648.65	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	168918919 168918919 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 256 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	9057971 9057971 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 256 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	9057971 9057971 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 256 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	4528985.5	9275.36	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	90579710 90579710 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 256 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	4528985.5	9275.36	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	90579710 90579710 0	
								Lost Bits % :	Loss% :	0.000	
Trial: 1 / FS: 512 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss :	4699248 4699248 0	
								Lost Bits % :	Loss% :	0.000	

Trial: 1 / FS: 512 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	4699248 4699248
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 512 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	2349624.0	9624.06	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	46992481 46992481
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 512 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	2349624.1	9624.06	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	46992481 46992481
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1024 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	2394636 2394636
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1024 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	2394636 2394636
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1024 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	1197318.0	9808.43	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	23946360 23946360
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1024 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	1197318.0	9808.43	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	23946360 23946360
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1280 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	1923077 1923077
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1280 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	1923077 1923077
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1280 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	961538.5	9846.15	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	19230769 19230769
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1280 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	961538.5	9846.15	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	19230769 19230769
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1518 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	1625488 1625488
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1518 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	1625488 1625488
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1518 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100	812743.8	9869.96	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	16254876 16254876
								Loss :		0
								Loss% :		0.000
Trial: 1 / FS: 1518 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100	812743.8	9869.96	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	16254876 16254876
								Loss :		0
								Loss% :		0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42035	45365	45218
Trial: 1 / FS: 64 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42755	45030	44953
Trial: 1 / FS: 64 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2747	2877	2847
Trial: 1 / FS: 64 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2785	2852	2842
Trial: 1 / FS: 128 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48580	51765	51706
Trial: 1 / FS: 128 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	48052	52197	52123
Trial: 1 / FS: 128 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2875	2942	2921
Trial: 1 / FS: 128 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2827	2925	2907
Trial: 1 / FS: 256 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59750	61397	61328
Trial: 1 / FS: 256 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	60005	61862	61774
Trial: 1 / FS: 256 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2912	3015	2998
Trial: 1 / FS: 256 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2927	3007	2987
Trial: 1 / FS: 512 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81940	83940	83865
Trial: 1 / FS: 512 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82627	84372	84287
Trial: 1 / FS: 512 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3092	3212	3198
Trial: 1 / FS: 512 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3115	3205	3188
Trial: 1 / FS: 1024 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	127365	130837	130738

Trial: 1 / FS: 1024 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127620	131237	131141
Trial: 1 / FS: 1024 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3565	3650	3624
Trial: 1 / FS: 1024 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3557	3630	3614
Trial: 1 / FS: 1280 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	152212	154740	154658
Trial: 1 / FS: 1280 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	154100	155187	155055
Trial: 1 / FS: 1280 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3790	3875	3856
Trial: 1 / FS: 1280 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3737	3860	3843
Trial: 1 / FS: 1518 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170435	172390	172287
Trial: 1 / FS: 1518 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	171140	172837	172722
Trial: 1 / FS: 1518 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3920	4020	4000
Trial: 1 / FS: 1518 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3927	4012	3994

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	%	Rx Rate FPS	Mbps	Tx Rate Mbps	Rx Rate Mbps		
Trial: 1 / FS: 64 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 64 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	1320685.0	676.19	Tx : Rx : Loss : Loss% :	26413690 26413690 0 0.000
Trial: 1 / FS: 64 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	13206904.7	6761.94	Tx : Rx : Loss : Loss% :	264136905 264136905 0 0.000
Trial: 1 / FS: 64 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	13206904.7	6761.94	Tx : Rx : Loss : Loss% :	264136905 264136905 0 0.000
Trial: 1 / FS: 64 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05	Tx : Rx : Loss : Loss% :	28087798 28087798 0 0.000
Trial: 1 / FS: 64 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	1404391.1	719.05	Tx : Rx : Loss : Loss% :	28087798 28087798 0 0.000
Trial: 1 / FS: 64 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	14044019.2	7190.54	Tx : Rx : Loss : Loss% :	280877976 280877976 0 0.000
Trial: 1 / FS: 64 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	14044019.2	7190.54	Tx : Rx : Loss : Loss% :	280877976 280877976 0 0.000
Trial: 1 / FS: 64 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.6	740.48	Tx : Rx : Loss : Loss% :	28924851 28924851 0 0.000
Trial: 1 / FS: 64 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	1446242.6	740.48	Tx : Rx : Loss : Loss% :	28924851 28924851 0 0.000
Trial: 1 / FS: 64 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	14462459.7	7404.78	Tx : Rx : Loss : Loss% :	289248512 289248512 0 0.000
Trial: 1 / FS: 64 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	14462459.7	7404.78	Tx : Rx : Loss : Loss% :	289248512 289248512 0 0.000
Trial: 1 / FS: 64 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.7	751.19	Tx : Rx : Loss : Loss% :	29343378 29343378 0 0.000
Trial: 1 / FS: 64 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	1467169.7	751.19	Tx : Rx : Loss : Loss% :	29343378 29343378 0 0.000
Trial: 1 / FS: 64 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	14671832.3	7511.98	Tx : Rx : Loss : Loss% :	293433780 293433780 0 0.000
Trial: 1 / FS: 64 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	14671832.4	7511.98	Tx : Rx : Loss : Loss% :	293433780 293433780 0 0.000

Trial: 1 / FS: 64 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.3	756.55	Tx : Rx : Loss : Loss% :	29552641 29552641 0 0.000
Trial: 1 / FS: 64 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	1477633.4	756.55	Tx : Rx : Loss : Loss% :	29552641 29552641 0 0.000
Trial: 1 / FS: 64 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	14776334.8	7565.48	Tx : Rx : Loss : Loss% :	295526414 295526414 0 0.000
Trial: 1 / FS: 64 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	14776334.7	7565.48	Tx : Rx : Loss : Loss% :	295526414 295526414 0 0.000
Trial: 1 / FS: 64 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.0	761.91	Tx : Rx : Loss : Loss% :	29761905 29761905 0 0.000
Trial: 1 / FS: 64 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	1488095.1	761.91	Tx : Rx : Loss : Loss% :	29761905 29761905 0 0.000
Trial: 1 / FS: 64 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	14880952.3	7619.05	Tx : Rx : Loss : Loss% :	297619048 297619048 0 0.000
Trial: 1 / FS: 64 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	14880952.3	7619.05	Tx : Rx : Loss : Loss% :	297619048 297619048 0 0.000
Trial: 1 / FS: 128 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : Rx : Loss : Loss% :	1689189 1689189 0 0.000
Trial: 1 / FS: 128 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : Rx : Loss : Loss% :	1689189 1689189 0 0.000
Trial: 1 / FS: 128 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	844594.6	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : Rx : Loss : Loss% :	9290541 9290541 0 0.000
Trial: 1 / FS: 128 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : Rx : Loss : Loss% :	9290541 9290541 0 0.000
Trial: 1 / FS: 128 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	4645271.8	4756.76	Tx : Rx : Loss : Loss% :	92905405 92905405 0 0.000

Trial: 1 / FS: 128 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	4645271.8	4756.76	Tx	:	92905405
								Rx	:	92905405
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx	:	13091216
								Rx	:	13091216
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	654561.1	670.27	Tx	:	13091216
								Rx	:	13091216
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	6545640.5	6702.74	Tx	:	130912162
								Rx	:	130912162
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	6545640.5	6702.74	Tx	:	130912162
								Rx	:	130912162
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx	:	14991554
								Rx	:	14991554
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx	:	14991554
								Rx	:	14991554
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	7495812.9	7675.71	Tx	:	149915541
								Rx	:	149915541
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	7495812.9	7675.71	Tx	:	149915541
								Rx	:	149915541
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.1	816.22	Tx	:	15941723
								Rx	:	15941723
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	797086.1	816.22	Tx	:	15941723
								Rx	:	15941723
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx	:	159417230
								Rx	:	159417230
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx	:	159417230
								Rx	:	159417230
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx	:	16416807
								Rx	:	16416807
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 128 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx	:	16416807
								Rx	:	16416807
								Loss	:	0
								Loss%	:	0.000

Trial: 1 / FS: 128 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	8208443.1	8405.45	Tx : Rx : Loss : Loss% :	164168074 164168074 0 0.000
Trial: 1 / FS: 128 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	8208443.1	8405.45	Tx : Rx : Loss : Loss% :	164168074 164168074 0 0.000
Trial: 1 / FS: 128 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.4	852.70	Tx : Rx : Loss : Loss% :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	832717.4	852.70	Tx : Rx : Loss : Loss% :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx : Rx : Loss : Loss% :	166543497 166543497 0 0.000
Trial: 1 / FS: 128 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx : Rx : Loss : Loss% :	166543497 166543497 0 0.000
Trial: 1 / FS: 128 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.2	858.78	Tx : Rx : Loss : Loss% :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	838656.2	858.78	Tx : Rx : Loss : Loss% :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx : Rx : Loss : Loss% :	167731208 167731208 0 0.000
Trial: 1 / FS: 128 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx : Rx : Loss : Loss% :	167731208 167731208 0 0.000
Trial: 1 / FS: 128 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.5	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	844594.4	864.87	Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx : Rx : Loss : Loss% :	168918919 168918919 0 0.000
Trial: 1 / FS: 128 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx : Rx : Loss : Loss% :	168918919 168918919 0 0.000
Trial: 1 / FS: 256 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : Rx : Loss : Loss% :	905797 905797 0 0.000

Trial: 1 / FS: 256 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : Rx : Loss : Loss% :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	452898.6	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : Rx : Loss : Loss% :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : Rx : Loss : Loss% :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx : Rx : Loss : Loss% :	49818841 49818841 0 0.000
Trial: 1 / FS: 256 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx : Rx : Loss : Loss% :	49818841 49818841 0 0.000
Trial: 1 / FS: 256 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : Rx : Loss : Loss% :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : Rx : Loss : Loss% :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx : Rx : Loss : Loss% :	70199275 70199275 0 0.000
Trial: 1 / FS: 256 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx : Rx : Loss : Loss% :	70199275 70199275 0 0.000
Trial: 1 / FS: 256 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx : Rx : Loss : Loss% :	80389493 80389493 0 0.000
Trial: 1 / FS: 256 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx : Rx : Loss : Loss% :	80389493 80389493 0 0.000

Trial: 1 / FS: 256 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	427423.0	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx : Rx : Loss : Loss% :	85484601 85484601 0 0.000
Trial: 1 / FS: 256 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx : Rx : Loss : Loss% :	85484601 85484601 0 0.000
Trial: 1 / FS: 256 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	4401620.4	9014.52	Tx : Rx : Loss : Loss% :	88032156 88032156 0 0.000
Trial: 1 / FS: 256 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	4401620.3	9014.52	Tx : Rx : Loss : Loss% :	88032156 88032156 0 0.000
Trial: 1 / FS: 256 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx : Rx : Loss : Loss% :	89305933 89305933 0 0.000
Trial: 1 / FS: 256 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx : Rx : Loss : Loss% :	89305933 89305933 0 0.000
Trial: 1 / FS: 256 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx : Rx : Loss : Loss% :	89942822 89942822 0 0.000

Trial: 1 / FS: 256 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx : Rx : Loss : Loss% :	89942822 89942822 0 0.000
Trial: 1 / FS: 256 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx : Rx : Loss : Loss% :	90579710 90579710 0 0.000
Trial: 1 / FS: 256 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx : Rx : Loss : Loss% :	90579710 90579710 0 0.000
Trial: 1 / FS: 512 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx : Rx : Loss : Loss% :	25845865 25845865 0 0.000
Trial: 1 / FS: 512 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx : Rx : Loss : Loss% :	25845865 25845865 0 0.000
Trial: 1 / FS: 512 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000

Trial: 1 / FS: 512 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx	:	36419173
								Rx	:	36419173
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx	:	36419173
								Rx	:	36419173
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx	:	4170583
								Rx	:	4170583
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx	:	4170583
								Rx	:	4170583
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx	:	41705827
								Rx	:	41705827
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx	:	41705827
								Rx	:	41705827
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx	:	4434915
								Rx	:	4434915
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx	:	4434915
								Rx	:	4434915
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx	:	44349154
								Rx	:	44349154
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx	:	44349154
								Rx	:	44349154
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx	:	4567082
								Rx	:	4567082
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx	:	4567082
								Rx	:	4567082
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx	:	45670818
								Rx	:	45670818
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx	:	45670818
								Rx	:	45670818
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 512 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx	:	4633165
								Rx	:	4633165
								Loss	:	0
								Loss%	:	0.000

Trial: 1 / FS: 512 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	2316582.7	9488.72	Tx : Rx : Loss : Loss% :	46331649 46331649 0 0.000
Trial: 1 / FS: 512 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	2316582.7	9488.72	Tx : Rx : Loss : Loss% :	46331649 46331649 0 0.000
Trial: 1 / FS: 512 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx : Rx : Loss : Loss% :	46662065 46662065 0 0.000
Trial: 1 / FS: 512 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx : Rx : Loss : Loss% :	46662065 46662065 0 0.000
Trial: 1 / FS: 512 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	2349624.0	9624.06	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 512 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	2349624.1	9624.06	Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000

Trial: 1 / FS: 1024 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx : Rx : Loss : Loss% :	13170498 13170498 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx : Rx : Loss : Loss% :	13170498 13170498 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx : Rx : Loss : Loss% :	18558429 18558429 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx : Rx : Loss : Loss% :	18558429 18558429 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx : Rx : Loss : Loss% :	21252395 21252395 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx : Rx : Loss : Loss% :	21252395 21252395 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx : Rx : Loss : Loss% :	22599377 22599377 0 0.000

Trial: 1 / FS: 1024 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx : Rx : Loss : Loss% :	22599377 22599377 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx : Rx : Loss : Loss% :	23272869 23272869 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx : Rx : Loss : Loss% :	23272869 23272869 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	1180480.8	9670.50	Tx : Rx : Loss : Loss% :	23609614 23609614 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	1180480.7	9670.50	Tx : Rx : Loss : Loss% :	23609614 23609614 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx : Rx : Loss : Loss% :	23777987 23777987 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx : Rx : Loss : Loss% :	23777987 23777987 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000

Trial: 1 / FS: 1024 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : Rx : Loss : Loss% :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : Rx : Loss : Loss% :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : Rx : Loss : Loss% :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : Rx : Loss : Loss% :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx : Rx : Loss : Loss% :	10576923 10576923 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx : Rx : Loss : Loss% :	10576923 10576923 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : Rx : Loss : Loss% :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : Rx : Loss : Loss% :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx : Rx : Loss : Loss% :	14903846 14903846 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx : Rx : Loss : Loss% :	14903846 14903846 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : Rx : Loss : Loss% :	1706731 1706731 0 0.000

Trial: 1 / FS: 1280 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx	:	1706731
								Rx	:	1706731
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx	:	17067308
								Rx	:	17067308
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx	:	17067308
								Rx	:	17067308
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx	:	1814904
								Rx	:	1814904
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx	:	1814904
								Rx	:	1814904
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx	:	18149038
								Rx	:	18149038
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx	:	18149038
								Rx	:	18149038
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx	:	1868990
								Rx	:	1868990
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx	:	1868990
								Rx	:	1868990
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx	:	18689904
								Rx	:	18689904
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx	:	18689904
								Rx	:	18689904
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx	:	1896034
								Rx	:	1896034
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx	:	1896034
								Rx	:	1896034
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx	:	18960337
								Rx	:	18960337
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1280 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx	:	18960337
								Rx	:	18960337
								Loss	:	0
								Loss%	:	0.000

Trial: 1 / FS: 1280 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx : Rx : Loss : Loss% :	19095553 19095553 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx : Rx : Loss : Loss% :	19095553 19095553 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx : Rx : Loss : Loss% :	8940182 8940182 0 0.000

Trial: 1 / FS: 1518 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx	:	8940182
								Rx	:	8940182
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx	:	1259753
								Rx	:	1259753
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx	:	1259753
								Rx	:	1259753
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx	:	12597529
								Rx	:	12597529
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx	:	12597529
								Rx	:	12597529
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx	:	1442620
								Rx	:	1442620
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx	:	1442620
								Rx	:	1442620
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx	:	14426203
								Rx	:	14426203
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx	:	14426203
								Rx	:	14426203
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx	:	1534054
								Rx	:	1534054
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx	:	1534054
								Rx	:	1534054
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx	:	15340540
								Rx	:	15340540
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx	:	15340540
								Rx	:	15340540
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx	:	1579771
								Rx	:	1579771
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx	:	1579771
								Rx	:	1579771
								Loss	:	0
								Loss%	:	0.000

Trial: 1 / FS: 1518 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx	:	15797708
								Rx	:	15797708
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx	:	15797708
								Rx	:	15797708
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx	:	1602629
								Rx	:	1602629
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx	:	1602629
								Rx	:	1602629
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx	:	16026292
								Rx	:	16026292
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx	:	16026292
								Rx	:	16026292
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx	:	1614058
								Rx	:	1614058
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx	:	1614058
								Rx	:	1614058
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx	:	16140584
								Rx	:	16140584
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx	:	16140584
								Rx	:	16140584
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx	:	1625488
								Rx	:	1625488
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx	:	1625488
								Rx	:	1625488
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx	:	16254876
								Rx	:	16254876
								Loss	:	0
								Loss%	:	0.000
Trial: 1 / FS: 1518 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx	:	16254876
								Rx	:	16254876
								Loss	:	0
								Loss%	:	0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	41940	42405	42182.00
Trial: 1 / FS: 64 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42612	43442	43028.00
Trial: 1 / FS: 64 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2712	2825	2764.00
Trial: 1 / FS: 64 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2685	2830	2762.00
Trial: 1 / FS: 64 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	41925	42405	42184.00
Trial: 1 / FS: 64 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42595	43460	43027.00
Trial: 1 / FS: 64 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2712	2825	2765.00
Trial: 1 / FS: 64 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2687	2830	2763.00
Trial: 1 / FS: 64 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	41922	42837	42200.00
Trial: 1 / FS: 64 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42595	43460	43027.00
Trial: 1 / FS: 64 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2720	2837	2769.00
Trial: 1 / FS: 64 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2700	2830	2771.00
Trial: 1 / FS: 64 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42355	43412	42735.00
Trial: 1 / FS: 64 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	43057	43797	43446.00
Trial: 1 / FS: 64 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2740	2847	2777.00
Trial: 1 / FS: 64 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2727	2837	2787.00
Trial: 1 / FS: 64 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42307	44150	43386.00
Trial: 1 / FS: 64 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42995	44117	43860.00
Trial: 1 / FS: 64 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2750	2865	2787.00

Trial: 1 / FS: 64 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2705	2842	2801.00
Trial: 1 / FS: 64 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42020	44532	43679.00
Trial: 1 / FS: 64 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	43092	44277	44079.00
Trial: 1 / FS: 64 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2757	2860	2796.00
Trial: 1 / FS: 64 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2742	2847	2807.00
Trial: 1 / FS: 64 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42197	44867	44049.00
Trial: 1 / FS: 64 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	43252	44517	44252.00
Trial: 1 / FS: 64 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2732	2862	2807.00
Trial: 1 / FS: 64 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2770	2847	2818.00
Trial: 1 / FS: 64 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42035	45030	44201.00
Trial: 1 / FS: 64 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42740	44660	44421.00
Trial: 1 / FS: 64 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2780	2865	2817.00
Trial: 1 / FS: 64 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2747	2845	2817.00
Trial: 1 / FS: 64 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	42035	45365	45218.00
Trial: 1 / FS: 64 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	42755	45030	44953.00
Trial: 1 / FS: 64 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2747	2877	2847.00
Trial: 1 / FS: 64 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2785	2852	2842.00
Trial: 1 / FS: 128 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	47317	49765	48974.00
Trial: 1 / FS: 128 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	47875	49140	48372.00
Trial: 1 / FS: 128 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2775	2922	2836.00
Trial: 1 / FS: 128 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2752	2905	2832.00

Trial: 1 / FS: 128 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	47330	49765	48981.00
Trial: 1 / FS: 128 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	47857	49140	48371.00
Trial: 1 / FS: 128 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2775	2922	2836.00
Trial: 1 / FS: 128 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2752	2905	2833.00
Trial: 1 / FS: 128 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	47910	49925	49244.00
Trial: 1 / FS: 128 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	47875	49237	48415.00
Trial: 1 / FS: 128 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2777	2922	2838.00
Trial: 1 / FS: 128 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2760	2917	2836.00
Trial: 1 / FS: 128 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48435	50310	49556.00
Trial: 1 / FS: 128 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	47922	49427	48560.00
Trial: 1 / FS: 128 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2792	2922	2844.00
Trial: 1 / FS: 128 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2792	2905	2848.00
Trial: 1 / FS: 128 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48867	50470	49783.00
Trial: 1 / FS: 128 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	48177	49492	48743.00
Trial: 1 / FS: 128 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2800	2922	2851.00
Trial: 1 / FS: 128 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2802	2917	2854.00
Trial: 1 / FS: 128 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48772	50532	49940.00
Trial: 1 / FS: 128 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	48242	49540	48922.00
Trial: 1 / FS: 128 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2815	2922	2864.00
Trial: 1 / FS: 128 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2815	2907	2863.00
Trial: 1 / FS: 128 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	49412	50467	50223.00

Trial: 1 / FS: 128 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	48035	50052	49588.00
Trial: 1 / FS: 128 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2830	2927	2876.00
Trial: 1 / FS: 128 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2827	2910	2872.00
Trial: 1 / FS: 128 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48867	51110	50842.00
Trial: 1 / FS: 128 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	47940	51075	50701.00
Trial: 1 / FS: 128 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2817	2932	2884.00
Trial: 1 / FS: 128 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2840	2910	2882.00
Trial: 1 / FS: 128 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	48580	51765	51706.00
Trial: 1 / FS: 128 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	48052	52197	52123.00
Trial: 1 / FS: 128 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2875	2942	2921.00
Trial: 1 / FS: 128 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2827	2925	2907.00
Trial: 1 / FS: 256 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	58805	60070	59624.00
Trial: 1 / FS: 256 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	58245	60677	59468.00
Trial: 1 / FS: 256 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2850	2977	2918.00
Trial: 1 / FS: 256 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2832	2982	2916.00
Trial: 1 / FS: 256 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	58805	60502	59623.00
Trial: 1 / FS: 256 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	58245	60695	59460.00
Trial: 1 / FS: 256 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2850	2977	2918.00
Trial: 1 / FS: 256 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2832	2990	2917.00
Trial: 1 / FS: 256 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	58805	60085	59623.00
Trial: 1 / FS: 256 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	58245	60695	59499.00

Trial: 1 / FS: 256 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2850	2995	2918.00
Trial: 1 / FS: 256 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2837	2987	2916.00
Trial: 1 / FS: 256 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	58950	60085	59648.00
Trial: 1 / FS: 256 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	58277	60695	59645.00
Trial: 1 / FS: 256 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2867	2997	2920.00
Trial: 1 / FS: 256 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2850	2985	2922.00
Trial: 1 / FS: 256 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59285	60215	59848.00
Trial: 1 / FS: 256 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	59187	60902	60145.00
Trial: 1 / FS: 256 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2882	2995	2927.00
Trial: 1 / FS: 256 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2880	2987	2931.00
Trial: 1 / FS: 256 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59667	60787	60072.00
Trial: 1 / FS: 256 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	58837	61110	60586.00
Trial: 1 / FS: 256 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2895	3005	2937.00
Trial: 1 / FS: 256 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2897	2995	2943.00
Trial: 1 / FS: 256 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59687	60757	60177.00
Trial: 1 / FS: 256 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	59942	61222	60829.00
Trial: 1 / FS: 256 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2907	3002	2946.00
Trial: 1 / FS: 256 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2912	2992	2952.00
Trial: 1 / FS: 256 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59782	60997	60280.00
Trial: 1 / FS: 256 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	59255	61255	60973.00
Trial: 1 / FS: 256 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2917	3005	2956.00

Trial: 1 / FS: 256 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2927	2992	2958.00
Trial: 1 / FS: 256 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	59750	61397	61328.00
Trial: 1 / FS: 256 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	60005	61862	61774.00
Trial: 1 / FS: 256 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	2912	3015	2998.00
Trial: 1 / FS: 256 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	2927	3007	2987.00
Trial: 1 / FS: 512 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81717	82197	81949.00
Trial: 1 / FS: 512 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	81827	83187	82756.00
Trial: 1 / FS: 512 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3062	3197	3123.00
Trial: 1 / FS: 512 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3042	3187	3122.00
Trial: 1 / FS: 512 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81715	82197	81946.00
Trial: 1 / FS: 512 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	81617	83187	82757.00
Trial: 1 / FS: 512 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3060	3197	3123.00
Trial: 1 / FS: 512 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3042	3187	3122.00
Trial: 1 / FS: 512 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81715	82197	81946.00
Trial: 1 / FS: 512 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	81555	83187	82757.00
Trial: 1 / FS: 512 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3060	3197	3123.00
Trial: 1 / FS: 512 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3042	3187	3122.00
Trial: 1 / FS: 512 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81715	82197	81946.00
Trial: 1 / FS: 512 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	81955	83187	82768.00
Trial: 1 / FS: 512 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3070	3197	3124.00
Trial: 1 / FS: 512 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3052	3187	3123.00

Trial: 1 / FS: 512 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81715	82565	81949.00
Trial: 1 / FS: 512 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82370	83187	82903.00
Trial: 1 / FS: 512 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3075	3197	3127.00
Trial: 1 / FS: 512 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3077	3202	3130.00
Trial: 1 / FS: 512 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81780	82772	82098.00
Trial: 1 / FS: 512 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82530	83285	83059.00
Trial: 1 / FS: 512 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3082	3197	3133.00
Trial: 1 / FS: 512 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3097	3187	3138.00
Trial: 1 / FS: 512 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	82147	82755	82360.00
Trial: 1 / FS: 512 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82420	83475	83252.00
Trial: 1 / FS: 512 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3090	3202	3140.00
Trial: 1 / FS: 512 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3092	3190	3145.00
Trial: 1 / FS: 512 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81907	82947	82514.00
Trial: 1 / FS: 512 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82627	83572	83371.00
Trial: 1 / FS: 512 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3112	3207	3152.00
Trial: 1 / FS: 512 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3120	3197	3153.00
Trial: 1 / FS: 512 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	81940	83940	83865.00
Trial: 1 / FS: 512 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	82627	84372	84287.00
Trial: 1 / FS: 512 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3092	3212	3198.00
Trial: 1 / FS: 512 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3115	3205	3188.00
Trial: 1 / FS: 1024 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	126867	128085	127336.00

Trial: 1 / FS: 1024 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127412	127892	127668.00
Trial: 1 / FS: 1024 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3487	3632	3553.00
Trial: 1 / FS: 1024 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3467	3625	3548.00
Trial: 1 / FS: 1024 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	126852	128085	127334.00
Trial: 1 / FS: 1024 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127892	127671.00
Trial: 1 / FS: 1024 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3487	3632	3554.00
Trial: 1 / FS: 1024 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3467	3625	3548.00
Trial: 1 / FS: 1024 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	126852	128085	127335.00
Trial: 1 / FS: 1024 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127892	127671.00
Trial: 1 / FS: 1024 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3487	3632	3554.00
Trial: 1 / FS: 1024 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3467	3625	3549.00
Trial: 1 / FS: 1024 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	126852	128085	127335.00
Trial: 1 / FS: 1024 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127892	127671.00
Trial: 1 / FS: 1024 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3487	3632	3553.00
Trial: 1 / FS: 1024 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3467	3625	3548.00
Trial: 1 / FS: 1024 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	126852	128085	127352.00
Trial: 1 / FS: 1024 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127892	127671.00
Trial: 1 / FS: 1024 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3495	3632	3554.00
Trial: 1 / FS: 1024 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3470	3625	3549.00
Trial: 1 / FS: 1024 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	127075	128085	127460.00
Trial: 1 / FS: 1024 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127910	127672.00

Trial: 1 / FS: 1024 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3500	3632	3558.00
Trial: 1 / FS: 1024 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3482	3625	3552.00
Trial: 1 / FS: 1024 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	127220	128085	127578.00
Trial: 1 / FS: 1024 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127410	127910	127673.00
Trial: 1 / FS: 1024 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3512	3632	3564.00
Trial: 1 / FS: 1024 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3502	3625	3557.00
Trial: 1 / FS: 1024 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	127220	128757	128324.00
Trial: 1 / FS: 1024 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127860	128770	128467.00
Trial: 1 / FS: 1024 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3527	3632	3573.00
Trial: 1 / FS: 1024 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3512	3625	3567.00
Trial: 1 / FS: 1024 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	127365	130837	130738.00
Trial: 1 / FS: 1024 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	127620	131237	131141.00
Trial: 1 / FS: 1024 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3565	3650	3624.00
Trial: 1 / FS: 1024 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3557	3630	3614.00
Trial: 1 / FS: 1280 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151877	153092	152635.00
Trial: 1 / FS: 1280 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	152307	154132	153711.00
Trial: 1 / FS: 1280 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3720	3857	3785.00
Trial: 1 / FS: 1280 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3697	3842	3780.00
Trial: 1 / FS: 1280 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151860	153095	152634.00
Trial: 1 / FS: 1280 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	151700	154132	153713.00
Trial: 1 / FS: 1280 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3717	3860	3785.00

Trial: 1 / FS: 1280 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3697	3845	3781.00
Trial: 1 / FS: 1280 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151875	153095	152633.00
Trial: 1 / FS: 1280 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	151700	154132	153713.00
Trial: 1 / FS: 1280 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3717	3860	3785.00
Trial: 1 / FS: 1280 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3697	3845	3781.00
Trial: 1 / FS: 1280 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151860	153095	152634.00
Trial: 1 / FS: 1280 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	152117	154132	153713.00
Trial: 1 / FS: 1280 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3717	3860	3785.00
Trial: 1 / FS: 1280 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3697	3845	3781.00
Trial: 1 / FS: 1280 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151875	153095	152633.00
Trial: 1 / FS: 1280 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	152707	154147	153714.00
Trial: 1 / FS: 1280 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3722	3860	3785.00
Trial: 1 / FS: 1280 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3702	3845	3782.00
Trial: 1 / FS: 1280 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151872	153092	152643.00
Trial: 1 / FS: 1280 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	153030	154135	153718.00
Trial: 1 / FS: 1280 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3735	3860	3788.00
Trial: 1 / FS: 1280 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3710	3845	3786.00
Trial: 1 / FS: 1280 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	151892	153095	152663.00
Trial: 1 / FS: 1280 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	153187	154132	153715.00
Trial: 1 / FS: 1280 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3742	3862	3792.00
Trial: 1 / FS: 1280 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3730	3845	3793.00

Trial: 1 / FS: 1280 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	152150	153095	152672.00
Trial: 1 / FS: 1280 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	153235	154132	153716.00
Trial: 1 / FS: 1280 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3757	3870	3802.00
Trial: 1 / FS: 1280 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3755	3845	3802.00
Trial: 1 / FS: 1280 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	152212	154740	154658.00
Trial: 1 / FS: 1280 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	154100	155187	155055.00
Trial: 1 / FS: 1280 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3790	3875	3856.00
Trial: 1 / FS: 1280 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3737	3860	3843.00
Trial: 1 / FS: 1518 / Iter: 1	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170085	170550	170309.00
Trial: 1 / FS: 1518 / Iter: 1	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170690	171542	171130.00
Trial: 1 / FS: 1518 / Iter: 1	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3867	4002	3929.00
Trial: 1 / FS: 1518 / Iter: 1	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3847	3992	3927.00
Trial: 1 / FS: 1518 / Iter: 2	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170067	170565	170306.00
Trial: 1 / FS: 1518 / Iter: 2	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170690	171542	171128.00
Trial: 1 / FS: 1518 / Iter: 2	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3867	4002	3929.00
Trial: 1 / FS: 1518 / Iter: 2	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3847	3992	3928.00
Trial: 1 / FS: 1518 / Iter: 3	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170067	170565	170306.00
Trial: 1 / FS: 1518 / Iter: 3	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170690	171542	171129.00
Trial: 1 / FS: 1518 / Iter: 3	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3865	4002	3929.00
Trial: 1 / FS: 1518 / Iter: 3	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3847	3992	3928.00
Trial: 1 / FS: 1518 / Iter: 4	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170070	170565	170306.00

Trial: 1 / FS: 1518 / Iter: 4	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170690	171542	171129.00
Trial: 1 / FS: 1518 / Iter: 4	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3865	4002	3929.00
Trial: 1 / FS: 1518 / Iter: 4	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3847	3992	3928.00
Trial: 1 / FS: 1518 / Iter: 5	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170067	170932	170307.00
Trial: 1 / FS: 1518 / Iter: 5	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170675	171542	171130.00
Trial: 1 / FS: 1518 / Iter: 5	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3865	4002	3929.00
Trial: 1 / FS: 1518 / Iter: 5	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3847	4007	3929.00
Trial: 1 / FS: 1518 / Iter: 6	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170067	170565	170306.00
Trial: 1 / FS: 1518 / Iter: 6	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170852	171542	171213.00
Trial: 1 / FS: 1518 / Iter: 6	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3875	4002	3930.00
Trial: 1 / FS: 1518 / Iter: 6	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3862	3992	3931.00
Trial: 1 / FS: 1518 / Iter: 7	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170067	170565	170310.00
Trial: 1 / FS: 1518 / Iter: 7	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	170885	171587	171299.00
Trial: 1 / FS: 1518 / Iter: 7	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3892	4002	3935.00
Trial: 1 / FS: 1518 / Iter: 7	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3887	3992	3939.00
Trial: 1 / FS: 1518 / Iter: 8	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170307	171060	170784.00
Trial: 1 / FS: 1518 / Iter: 8	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	171297	171827	171568.00
Trial: 1 / FS: 1518 / Iter: 8	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3900	4002	3942.00
Trial: 1 / FS: 1518 / Iter: 8	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3902	3997	3946.00
Trial: 1 / FS: 1518 / Iter: 9	7-13	7-14	S3400-24T4SP-Endpoint Set-1 - Flow Group 0001	170435	172390	172287.00
Trial: 1 / FS: 1518 / Iter: 9	7-14	7-13	S3400-24T4SP-Endpoint Set-2 - Flow Group 0001	171140	172837	172722.00

Trial: 1 / FS: 1518 / Iter: 9	8-14	8-3	S3400-24T4SP-Endpoint Set-3 - Flow Group 0001	3920	4020	4000.00
Trial: 1 / FS: 1518 / Iter: 9	8-3	8-14	S3400-24T4SP-Endpoint Set-4 - Flow Group 0001	3927	4012	3994.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730