


KEYSIGHT
TECHNOLOGIES

IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 05/25/2006 18:19:37

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	27
10.	Theoretical Max Rates	44

RFC2544 - Throughput/Latency - Info

Test Information

Product Information

Product Label :	S2805S-24TF
Product Version :	V01D01P02SP16
Serial Number :	CG2408268721N00099
Comments :	

Test Settings

Date Executed :	05/25/2006
Time Executed :	18:19:37
User Name :	FS
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward


Output Parameters

Number of Trials Passed :	N/A
Test Duration (sec) :	00:38:00


RFC2544 - Throughput/Latency - Port Map Information

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.36.15.200;04;01	1000	10.36.15.200;04;02	1000
	10.36.15.200;04;02	1000	10.36.15.200;04;01	1000


RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Aggregated Graph


Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Per Flow Graph



RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Per Flow Graph




RFC2544 - Throughput/Latency - Iteration Graph


Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128




Aggregated Frame Loss for Trial 1 and Framesize 256




Aggregated Frame Loss for Trial 1 and Framesize 512




Aggregated Frame Loss for Trial 1 and Framesize 1024




Aggregated Frame Loss for Trial 1 and Framesize 1280





Aggregated Frame Loss for Trial 1 and Framesize 1518
6
4
2
0
-2
-4
-6
(%)
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
1
2
3
4
5
6
7
8
9
Iteration

RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput			Throughput (frames)			Agg Latency (ns)		
	AggTx Rate %	Agg Rx Rate											
		%	FPS	Mbps									
Trial: 1 / FS: 64 / Iter: 9	100.00	100	2976190.5	1523.810	Tx Rate Mbps :			Tx :	59523810.000		Min :	3670	
					Rx Rate Mbps :			Rx :	59523810.000		Max :	4535	
								Loss :	0		Average :	3839.500	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 128 / Iter: 9	100.00	100	1689189.2	1729.730	Tx Rate Mbps :			Tx :	33783784.000		Min :	3715	
					Rx Rate Mbps :			Rx :	33783784.000		Max :	4615	
								Loss :	0		Average :	3898.500	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 256 / Iter: 9	100.00	100	905797.1	1855.072	Tx Rate Mbps :			Tx :	18115942.000		Min :	3637	
					Rx Rate Mbps :			Rx :	18115942.000		Max :	4517	
								Loss :	0		Average :	3815.000	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 512 / Iter: 9	100.00	100	469924.8	1924.812	Tx Rate Mbps :			Tx :	9398496.000		Min :	3652	
					Rx Rate Mbps :			Rx :	9398496.000		Max :	4517	
								Loss :	0		Average :	3819.500	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	239463.6	1961.686	Tx Rate Mbps :			Tx :	4789272.000		Min :	3620	
					Rx Rate Mbps :			Rx :	4789272.000		Max :	4552	
								Loss :	0		Average :	3774.500	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	192307.7	1969.231	Tx Rate Mbps :			Tx :	3846154.000		Min :	3700	
					Rx Rate Mbps :			Rx :	3846154.000		Max :	4500	
								Loss :	0		Average :	3799.000	
					Lost Bits % :			Loss% :	0.00				
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	162548.8	1973.992	Tx Rate Mbps :			Tx :	3250976.000		Min :	3827	
					Rx Rate Mbps :			Rx :	3250976.000		Max :	4710	
								Loss :	0		Average :	3982.000	
					Lost Bits % :			Loss% :	0.00				

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)		Agg Latency		
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps			Min (ns)	Max (ns)	Average (ns)
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	297619.0	152.381			Tx : 5952380.000 Rx : 5952380.000 Loss : 0 Loss% : 0.00		3332	4312	3607.000
Trial: 1 / FS: 64 / Iter: 2	55	55	1636905.0	838.095			Tx : 32738096.000 Rx : 32738096.000 Loss : 0 Loss% : 0.00		3315	4470	3605.000
Trial: 1 / FS: 64 / Iter: 3	78	78	2306549.4	1180.953			Tx : 46130952.000 Rx : 46130952.000 Loss : 0 Loss% : 0.00		3315	4485	3605.500
Trial: 1 / FS: 64 / Iter: 4	89	89	2641370.0	1352.381			Tx : 52827380.000 Rx : 52827380.000 Loss : 0 Loss% : 0.00		3315	4502	3621.500
Trial: 1 / FS: 64 / Iter: 5	94	94	2808782.2	1438.097			Tx : 56175596.000 Rx : 56175596.000 Loss : 0 Loss% : 0.00		3442	4422	3678.500
Trial: 1 / FS: 64 / Iter: 6	97	97	2892485.4	1480.953			Tx : 57849702.000 Rx : 57849702.000 Loss : 0 Loss% : 0.00		3522	4485	3720.000
Trial: 1 / FS: 64 / Iter: 7	99	99	2934339.6	1502.382			Tx : 58686756.000 Rx : 58686756.000 Loss : 0 Loss% : 0.00		3572	4502	3743.000
Trial: 1 / FS: 64 / Iter: 8	99	99	2955266.9	1513.097			Tx : 59105282.000 Rx : 59105282.000 Loss : 0 Loss% : 0.00		3635	4502	3768.500
Trial: 1 / FS: 64 / Iter: 9	100	100	2976190.5	1523.810			Tx : 59523810.000 Rx : 59523810.000 Loss : 0 Loss% : 0.00		3670	4535	3839.500
Trial: 1 / FS: 128 / Iter: 1	10	10	168918.9	172.973			Tx : 3378378.000 Rx : 3378378.000 Loss : 0 Loss% : 0.00		3380	3975	3656.000
Trial: 1 / FS: 128 / Iter: 2	55	55	929054.4	951.352			Tx : 18581082.000 Rx : 18581082.000 Loss : 0 Loss% : 0.00		3380	4582	3656.500
Trial: 1 / FS: 128 / Iter: 3	78	78	1309122.1	1340.541			Tx : 26182432.000 Rx : 26182432.000 Loss : 0 Loss% : 0.00		3380	4517	3657.500
Trial: 1 / FS: 128 / Iter: 4	89	89	1499155.6	1535.135			Tx : 29983108.000 Rx : 29983108.000 Loss : 0 Loss% : 0.00		3442	4470	3685.500

Trial: 1 / FS: 128 / Iter: 5	94	94	1594172.3	1632.432	Tx : Rx : Loss : Loss% :	31883446.000 31883446.000 0 0.00	3507	4550	3719.000
Trial: 1 / FS: 128 / Iter: 6	97	97	1641681.2	1681.082	Tx : Rx : Loss : Loss% :	32833614.000 32833614.000 0 0.00	3460	4500	3751.500
Trial: 1 / FS: 128 / Iter: 7	99	99	1665434.9	1705.405	Tx : Rx : Loss : Loss% :	33308700.000 33308700.000 0 0.00	3525	4532	3775.500
Trial: 1 / FS: 128 / Iter: 8	99	99	1677312.6	1717.568	Tx : Rx : Loss : Loss% :	33546242.000 33546242.000 0 0.00	3525	4535	3792.000
Trial: 1 / FS: 128 / Iter: 9	100	100	1689189.2	1729.730	Tx : Rx : Loss : Loss% :	33783784.000 33783784.000 0 0.00	3715	4615	3898.500
Trial: 1 / FS: 256 / Iter: 1	10	10	90579.7	185.507	Tx : Rx : Loss : Loss% :	1811594.000 1811594.000 0 0.00	3302	4295	3605.500
Trial: 1 / FS: 256 / Iter: 2	55	55	498188.4	1020.290	Tx : Rx : Loss : Loss% :	9963768.000 9963768.000 0 0.00	3300	4165	3604.000
Trial: 1 / FS: 256 / Iter: 3	78	78	701992.8	1437.681	Tx : Rx : Loss : Loss% :	14039856.000 14039856.000 0 0.00	3285	4342	3604.000
Trial: 1 / FS: 256 / Iter: 4	89	89	803895.1	1646.377	Tx : Rx : Loss : Loss% :	16077898.000 16077898.000 0 0.00	3300	4375	3605.000
Trial: 1 / FS: 256 / Iter: 5	94	94	854846.1	1750.725	Tx : Rx : Loss : Loss% :	17096920.000 17096920.000 0 0.00	3300	4277	3606.500
Trial: 1 / FS: 256 / Iter: 6	97	97	880321.6	1802.899	Tx : Rx : Loss : Loss% :	17606432.000 17606432.000 0 0.00	3300	4437	3606.500
Trial: 1 / FS: 256 / Iter: 7	99	99	893059.6	1828.986	Tx : Rx : Loss : Loss% :	17861186.000 17861186.000 0 0.00	3347	4405	3624.500
Trial: 1 / FS: 256 / Iter: 8	99	99	899428.4	1842.029	Tx : Rx : Loss : Loss% :	17988564.000 17988564.000 0 0.00	3412	4467	3667.000
Trial: 1 / FS: 256 / Iter: 9	100	100	905797.1	1855.072	Tx : Rx : Loss : Loss% :	18115942.000 18115942.000 0 0.00	3637	4517	3815.000
Trial: 1 / FS: 512 / Iter: 1	10	10	46992.5	192.481	Tx : Rx : Loss : Loss% :	939850.000 939850.000 0 0.00	3315	3877	3604.000

Trial: 1 / FS: 512 / Iter: 2	55	55	258458.7	1058.647	Tx :	5169172.000	3300	4100	3603.000
					Rx :	5169172.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 3	78	78	364191.8	1491.729	Tx :	7283834.000	3300	4307	3604.000
					Rx :	7283834.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 4	89	89	417058.3	1708.271	Tx :	8341166.000	3300	4455	3603.500
					Rx :	8341166.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 5	94	94	443491.6	1816.541	Tx :	8869830.000	3315	4212	3604.500
					Rx :	8869830.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 6	97	97	456708.2	1870.677	Tx :	9134164.000	3377	4405	3639.500
					Rx :	9134164.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 7	99	99	463316.5	1897.745	Tx :	9266330.000	3395	4437	3669.500
					Rx :	9266330.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 8	99	99	466620.7	1911.278	Tx :	9332414.000	3495	4420	3693.500
					Rx :	9332414.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 9	100	100	469924.8	1924.812	Tx :	9398496.000	3652	4517	3819.500
					Rx :	9398496.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 1	10	10	23946.4	196.169	Tx :	478928.000	3317	3895	3609.000
					Rx :	478928.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 2	55	55	131705.0	1078.927	Tx :	2634100.000	3317	4087	3609.500
					Rx :	2634100.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 3	78	78	185584.3	1520.307	Tx :	3711686.000	3315	4375	3609.500
					Rx :	3711686.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 4	89	89	212524.0	1740.996	Tx :	4250478.000	3317	4117	3609.500
					Rx :	4250478.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 5	94	94	225993.8	1851.341	Tx :	4519876.000	3315	4342	3609.500
					Rx :	4519876.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 6	97	97	232728.7	1906.513	Tx :	4654574.000	3332	4437	3613.000
					Rx :	4654574.000			
					Loss :	0			
					Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 7	99	99	236096.2	1934.100	Tx :	4721922.000	3395	4355	3644.500
					Rx :	4721922.000			
					Loss :	0			
					Loss% :	0.00			

Trial: 1 / FS: 1024 / Iter: 8	99	99	237779.9	1947.893	Tx : Rx : Loss : Loss% :	4755598.000 4755598.000 0 0.00	3460	4455	3678.000
Trial: 1 / FS: 1024 / Iter: 9	100	100	239463.6	1961.686	Tx : Rx : Loss : Loss% :	4789272.000 4789272.000 0 0.00	3620	4552	3774.500
Trial: 1 / FS: 1280 / Iter: 1	10	10	19230.8	196.923	Tx : Rx : Loss : Loss% :	384616.000 384616.000 0 0.00	3347	3892	3604.500
Trial: 1 / FS: 1280 / Iter: 2	55	55	105769.2	1083.077	Tx : Rx : Loss : Loss% :	2115384.000 2115384.000 0 0.00	3332	3940	3604.500
Trial: 1 / FS: 1280 / Iter: 3	78	78	149038.5	1526.154	Tx : Rx : Loss : Loss% :	2980770.000 2980770.000 0 0.00	3332	4372	3604.000
Trial: 1 / FS: 1280 / Iter: 4	89	89	170673.1	1747.692	Tx : Rx : Loss : Loss% :	3413462.000 3413462.000 0 0.00	3332	3910	3604.000
Trial: 1 / FS: 1280 / Iter: 5	94	94	181490.4	1858.462	Tx : Rx : Loss : Loss% :	3629808.000 3629808.000 0 0.00	3332	4372	3604.000
Trial: 1 / FS: 1280 / Iter: 6	97	97	186899.0	1913.846	Tx : Rx : Loss : Loss% :	3737980.000 3737980.000 0 0.00	3335	4180	3605.500
Trial: 1 / FS: 1280 / Iter: 7	99	99	189603.4	1941.538	Tx : Rx : Loss : Loss% :	3792068.000 3792068.000 0 0.00	3347	4310	3609.000
Trial: 1 / FS: 1280 / Iter: 8	99	99	190955.5	1955.385	Tx : Rx : Loss : Loss% :	3819110.000 3819110.000 0 0.00	3350	4357	3615.500
Trial: 1 / FS: 1280 / Iter: 9	100	100	192307.7	1969.231	Tx : Rx : Loss : Loss% :	3846154.000 3846154.000 0 0.00	3700	4500	3799.000
Trial: 1 / FS: 1518 / Iter: 1	10	10	16254.9	197.399	Tx : Rx : Loss : Loss% :	325098.000 325098.000 0 0.00	3525	4085	3796.500
Trial: 1 / FS: 1518 / Iter: 2	55	55	89401.8	1085.696	Tx : Rx : Loss : Loss% :	1788036.000 1788036.000 0 0.00	3522	4292	3798.500
Trial: 1 / FS: 1518 / Iter: 3	78	78	125975.3	1529.844	Tx : Rx : Loss : Loss% :	2519506.000 2519506.000 0 0.00	3522	4615	3798.000
Trial: 1 / FS: 1518 / Iter: 4	89	89	144262.0	1751.918	Tx : Rx : Loss : Loss% :	2885240.000 2885240.000 0 0.00	3522	4102	3798.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	153405.4	1862.955	Tx : Rx : Loss : Loss% :	3068108.000 3068108.000 0 0.00	3522	4582	3798.500
Trial: 1 / FS: 1518 / Iter: 6	97	97	157977.1	1918.474	Tx : Rx : Loss : Loss% :	3159542.000 3159542.000 0 0.00	3525	4547	3799.500
Trial: 1 / FS: 1518 / Iter: 7	99	99	160262.9	1946.233	Tx : Rx : Loss : Loss% :	3205258.000 3205258.000 0 0.00	3540	4437	3818.000
Trial: 1 / FS: 1518 / Iter: 8	99	99	161405.8	1960.113	Tx : Rx : Loss : Loss% :	3228116.000 3228116.000 0 0.00	3605	4612	3843.500
Trial: 1 / FS: 1518 / Iter: 9	100	100	162548.8	1973.992	Tx : Rx : Loss : Loss% :	3250976.000 3250976.000 0 0.00	3827	4710	3982.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput	Throughput (frames)
				Tx Rate %	Rx Rate				
					%	FPS	Mbps		
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 4699248 Rx : 4699248 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 4699248 Rx : 4699248 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 1923077 Rx : 1923077 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 1923077 Rx : 1923077 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 1625488 Rx : 1625488 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000	

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3670	4532	3833
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3717	4535	3846
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3715	4580	3892
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3765	4615	3905
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3637	4502	3810
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3667	4517	3820
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3682	4517	3813
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3652	4517	3826
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3620	4517	3768
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3637	4552	3781
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3700	4485	3793
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3715	4500	3805
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3827	4710	3977
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3875	4710	3987

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	Rx Rate			Tx Rate Mbps	Rx Rate Mbps		
					%	FPS	Mbps				
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.8	751.19			Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 64 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	1467169.8	751.19		Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.5	756.55		Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	1477633.5	756.55		Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.2	761.91		Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	1488095.2	761.91		Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49		Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	84459.5	86.49		Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68		Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	464527.2	475.68		Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27		Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	654561.0	670.27		Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57		Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	749577.8	767.57		Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.1	816.22		Tx : 15941723 Rx : 15941723 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	797086.1	816.22		Tx : 15941723 Rx : 15941723 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx Rx Loss Loss%	: : : :	16416807 16416807 0 0.000
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx Rx Loss Loss%	: : : :	16416807 16416807 0 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx Rx Loss Loss%	: : : :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx Rx Loss Loss%	: : : :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx Rx Loss Loss%	: : : :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx Rx Loss Loss%	: : : :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx Rx Loss Loss%	: : : :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx Rx Loss Loss%	: : : :	16891892 16891892 0 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx Rx Loss Loss%	: : : :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx Rx Loss Loss%	: : : :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx Rx Loss Loss%	: : : :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx Rx Loss Loss%	: : : :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx Rx Loss Loss%	: : : :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx Rx Loss Loss%	: : : :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx Rx Loss Loss%	: : : :	8038949 8038949 0 0.000

Trial: 1 / FS: 256 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx Rx Loss Loss%	: : : :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx Rx Loss Loss%	: : : :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx Rx Loss Loss%	: : : :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx Rx Loss Loss%	: : : :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx Rx Loss Loss%	: : : :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx Rx Loss Loss%	: : : :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx Rx Loss Loss%	: : : :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx Rx Loss Loss%	: : : :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx Rx Loss Loss%	: : : :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx Rx Loss Loss%	: : : :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx Rx Loss Loss%	: : : :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx Rx Loss Loss%	: : : :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx Rx Loss Loss%	: : : :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx Rx Loss Loss%	: : : :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx Rx Loss Loss%	: : : :	2584586 2584586 0 0.000

Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx Rx Loss Loss%	: : : :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx Rx Loss Loss%	: : : :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx Rx Loss Loss%	: : : :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx Rx Loss Loss%	: : : :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx Rx Loss Loss%	: : : :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx Rx Loss Loss%	: : : :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx Rx Loss Loss%	: : : :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx Rx Loss Loss%	: : : :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx Rx Loss Loss%	: : : :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx Rx Loss Loss%	: : : :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx Rx Loss Loss%	: : : :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx Rx Loss Loss%	: : : :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx Rx Loss Loss%	: : : :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx Rx Loss Loss%	: : : :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx Rx Loss Loss%	: : : :	239464 239464 0 0.000

Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx Rx Loss Loss%	: : : :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx Rx Loss Loss%	: : : :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx Rx Loss Loss%	: : : :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx Rx Loss Loss%	: : : :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx Rx Loss Loss%	: : : :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx Rx Loss Loss%	: : : :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx Rx Loss Loss%	: : : :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx Rx Loss Loss%	: : : :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx Rx Loss Loss%	: : : :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx Rx Loss Loss%	: : : :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx Rx Loss Loss%	: : : :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx Rx Loss Loss%	: : : :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx Rx Loss Loss%	: : : :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx Rx Loss Loss%	: : : :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx Rx Loss Loss%	: : : :	2377799 2377799 0 0.000

Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx Rx Loss Loss%	: : : :	2394636 2394636 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx Rx Loss Loss%	: : : :	2394636 2394636 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx Rx Loss Loss%	: : : :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx Rx Loss Loss%	: : : :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx Rx Loss Loss%	: : : :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx Rx Loss Loss%	: : : :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx Rx Loss Loss%	: : : :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx Rx Loss Loss%	: : : :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx Rx Loss Loss%	: : : :	1706731 1706731 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx Rx Loss Loss%	: : : :	1706731 1706731 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx Rx Loss Loss%	: : : :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx Rx Loss Loss%	: : : :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx Rx Loss Loss%	: : : :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx Rx Loss Loss%	: : : :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx Rx Loss Loss%	: : : :	1896034 1896034 0 0.000

Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx Rx Loss Loss%	: : : :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx Rx Loss Loss%	: : : :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx Rx Loss Loss%	: : : :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx Rx Loss Loss%	: : : :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx Rx Loss Loss%	: : : :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx Rx Loss Loss%	: : : :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx Rx Loss Loss%	: : : :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx Rx Loss Loss%	: : : :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx Rx Loss Loss%	: : : :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx Rx Loss Loss%	: : : :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx Rx Loss Loss%	: : : :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx Rx Loss Loss%	: : : :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx Rx Loss Loss%	: : : :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx Rx Loss Loss%	: : : :	1534054 1534054 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx Rx Loss Loss%	: : : :	1534054 1534054 0 0.000

Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx Rx Loss Loss%	: : : :	1579771 1579771 0 0.000
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx Rx Loss Loss%	: : : :	1579771 1579771 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx Rx Loss Loss%	: : : :	1602629 1602629 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx Rx Loss Loss%	: : : :	1602629 1602629 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx Rx Loss Loss%	: : : :	1614058 1614058 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx Rx Loss Loss%	: : : :	1614058 1614058 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx Rx Loss Loss%	: : : :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx Rx Loss Loss%	: : : :	1625488 1625488 0 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3332	3877	3603.00
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3335	4312	3611.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3315	4470	3599.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4455	3611.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3315	4437	3599.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4485	3612.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3315	4390	3615.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4502	3628.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3442	4402	3672.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3445	4422	3685.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3522	4452	3713.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3542	4485	3727.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3572	4500	3736.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3590	4502	3750.00
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3635	4502	3762.00

Trial: 1 / FS: 64 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3637	4487	3775.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3670	4532	3833.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3717	4535	3846.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3380	3940	3646.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3400	3975	3666.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3380	4467	3650.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3397	4582	3663.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3380	4420	3651.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3397	4517	3664.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3442	4292	3679.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3460	4470	3692.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3507	4550	3712.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3525	4485	3726.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3460	4485	3745.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3510	4500	3758.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3587	4532	3769.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3525	4502	3782.00

Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3555	4482	3785.00
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3525	4535	3799.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3715	4580	3892.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3765	4615	3905.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3302	4295	3603.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3317	3877	3608.00
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3300	4165	3599.00
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3315	3975	3609.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3285	3987	3599.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3315	4342	3609.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3300	4375	3599.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3315	4342	3611.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3300	4197	3601.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3315	4277	3612.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3300	4405	3601.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3315	4437	3612.00
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3347	4405	3619.00

Trial: 1 / FS: 256 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3347	4405	3630.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3412	4422	3662.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3427	4467	3672.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3637	4502	3810.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3667	4517	3820.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3315	3875	3600.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	3877	3608.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3300	3877	3597.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3317	4100	3609.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3300	4307	3597.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3317	4037	3611.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3300	3892	3597.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3317	4455	3610.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3315	4212	3598.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3317	4117	3611.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3377	4242	3633.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3397	4405	3646.00

Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3395	4437	3663.00
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3445	4387	3676.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3507	4405	3687.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3495	4420	3700.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3682	4517	3813.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3652	4517	3826.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3317	3877	3599.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3352	3895	3619.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3317	3892	3603.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3335	4087	3616.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3315	4005	3603.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4375	3616.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3317	4117	3603.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	3895	3616.00
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3315	3942	3603.00
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4342	3616.00
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3332	4212	3606.00

Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3335	4437	3620.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3395	4355	3638.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3412	4325	3651.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3460	4372	3671.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3477	4455	3685.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3620	4517	3768.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3637	4552	3781.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3347	3892	3602.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3347	3892	3607.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3332	3895	3599.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3347	3940	3610.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3332	4372	3599.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	3910	3609.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3332	3895	3599.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3347	3910	3609.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3332	4147	3599.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3332	4372	3609.00

Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3335	4115	3600.00
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3347	4180	3611.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3347	4310	3604.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3362	4262	3614.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3350	4325	3610.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3365	4357	3621.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3700	4485	3793.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3715	4500	3805.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3525	4085	3792.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3540	4085	3801.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3522	4085	3793.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3540	4292	3804.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3522	4085	3793.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3540	4615	3803.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3522	4085	3793.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3525	4102	3803.00
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3522	4085	3793.00

Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3540	4582	3804.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3525	4165	3794.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3540	4547	3805.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3540	4437	3813.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3555	4390	3823.00
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3605	4612	3838.00
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3635	4520	3849.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-24TF_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3827	4710	3977.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-24TF_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3875	4710	3987.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730