


Cat6a Unshielded Toolless Keystone Jack

FOR DATA CENTER, NETWORK ENGINEERING CABLING, ENTERPRISE NETWORK CABLING



Overview

The Cat6a keystone toolless style connectors make for a simple installation without the need for a punch down tool. Toolless keystone jacks are an ideal solution for terminating and connecting network cable, such as Cat6a premise wiring, the RJ45 keystone jack snapping into wall plates, patch panels and surface-mount boxes.

Benefits

- Support IEEE 802.3af/at/bt, HDBaseT Power Standards, up to 100w
- Verified IEC 60512-99-001 & IEC60512-99-002 Test
- Fast Installation without Any Special Punch Tool or Crimping Tool
- To Be Used with Keystone Wall Plate or Panel
- Dual-color-coded Labeling for 568A/B (258A) Wiring Schemes
- Meets All TIA CAT6/6A Requirements

Technical Specification

Parameter	Value
Product Type	Cat6a Keystone Jack
Connector	RJ45 Female
Termination Type	Toolless
Shielding Type	Unshielded
Data Rate Support	10GBase-T
Wire Gauge Supported	22-26AWG Cable
Wiring Scheme	T568A/T568B
Housing Material	ABS
Dimensions (HxW)	0.88"x0.64" (22.79x16.2mm)
Operating Temperature	-10°C to 60°C (14°F to 140°F)
RJ45 Contact Material	Phosphor Bronze, Surface with 15μ Micro-inch Gold-plated
IDC Terminals Material	Phosphor Bronze, Surface with 100μ Nickel-plated

Product Specification

Unit:mm

