



IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 05/25/2006 17:33:45

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	27
10.	Theoretical Max Rates	44

RFC2544 - Throughput/Latency - Info**Test Information****Product Information**

Product Label :	S2805S-8TF-P
Product Version :	V01D01P02SP17
Serial Number :	CG2409193009N00019
Comments :	

Test Settings

Date Executed :	05/25/2006
Time Executed :	17:33:45
User Name :	FS
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward

Output Parameters


Number of Trials Passed :	N/A
Test Duration (sec) :	00:38:35

RFC2544 - Throughput/Latency - Port Map Information


Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.36.15.200;04;01	1000	10.36.15.200;04;02	1000
	10.36.15.200;04;02	1000	10.36.15.200;04;01	1000


RFC2544 - Throughput/Latency - Aggregated Graph

Total Frames Transmitted and Received



RFC2544 - Throughput/Latency - Aggregated Graph




RFC2544 - Throughput/Latency - Aggregated Graph**Aggregated Frame Loss**

Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Line Rate




RFC2544 - Throughput/Latency - Per Flow Graph

Average Frame Loss per Flow





RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph


Tx / Rx Frame Count




Trial



RFC2544 - Throughput/Latency - Iteration Graph



Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128




Aggregated Frame Loss for Trial 1 and Framesize 256**Aggregated Frame Loss for Trial 1 and Framesize 512**

Aggregated Frame Loss for Trial 1 and Framesize 1024**Aggregated Frame Loss for Trial 1 and Framesize 1280**




RFC2544 - Throughput/Latency - Iteration Graph

Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput	Throughput (frames)		Agg Latency (ns)		
	AggTx Rate %	Agg Rx Rate								
		%	FPS	Mbps						
Trial: 1 / FS: 64 / Iter: 9	100.00	100	2976190.4	1523.809	Tx Rate Mbps :	Tx :	59523810.000	Min :	3405	
					Rx Rate Mbps :	Rx :	59523810.000	Max :	4510	
						Loss :	0	Average :	3761.000	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 128 / Iter: 9	100.00	100	1689189.2	1729.730	Tx Rate Mbps :	Tx :	33783784.000	Min :	3422	
					Rx Rate Mbps :	Rx :	33783784.000	Max :	4605	
						Loss :	0	Average :	3839.000	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 256 / Iter: 9	100.00	100	905797.1	1855.072	Tx Rate Mbps :	Tx :	18115942.000	Min :	3387	
					Rx Rate Mbps :	Rx :	18115942.000	Max :	4495	
						Loss :	0	Average :	3746.000	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 512 / Iter: 9	100.00	100	469924.8	1924.812	Tx Rate Mbps :	Tx :	9398496.000	Min :	3372	
					Rx Rate Mbps :	Rx :	9398496.000	Max :	4507	
						Loss :	0	Average :	3755.000	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	239463.6	1961.686	Tx Rate Mbps :	Tx :	4789272.000	Min :	3407	
					Rx Rate Mbps :	Rx :	4789272.000	Max :	4525	
						Loss :	0	Average :	3772.500	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	192307.7	1969.231	Tx Rate Mbps :	Tx :	3846154.000	Min :	3390	
					Rx Rate Mbps :	Rx :	3846154.000	Max :	4510	
						Loss :	0	Average :	3751.500	
					Lost Bits % :	Loss% :	0.00			
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	162548.8	1973.992	Tx Rate Mbps :	Tx :	3250976.000	Min :	3772	
					Rx Rate Mbps :	Rx :	3250976.000	Max :	4732	
						Loss :	0	Average :	3956.500	
					Lost Bits % :	Loss% :	0.00			

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	297619.0	152.381			Tx : 5952380.000 Rx : 5952380.000 Loss : 0 Loss% : 0.00	2895	3867	3531.500	
Trial: 1 / FS: 64 / Iter: 2	55	55	1636905.1	838.095			Tx : 32738096.000 Rx : 32738096.000 Loss : 0 Loss% : 0.00	2877	4460	3532.000	
Trial: 1 / FS: 64 / Iter: 3	78	78	2306549.4	1180.953			Tx : 46130952.000 Rx : 46130952.000 Loss : 0 Loss% : 0.00	3102	4380	3532.500	
Trial: 1 / FS: 64 / Iter: 4	89	89	2641370.0	1352.381			Tx : 52827380.000 Rx : 52827380.000 Loss : 0 Loss% : 0.00	3197	4412	3557.000	
Trial: 1 / FS: 64 / Iter: 5	94	94	2808782.3	1438.097			Tx : 56175596.000 Rx : 56175596.000 Loss : 0 Loss% : 0.00	3342	4382	3610.000	
Trial: 1 / FS: 64 / Iter: 6	97	97	2892485.4	1480.953			Tx : 57849702.000 Rx : 57849702.000 Loss : 0 Loss% : 0.00	3405	4477	3650.500	
Trial: 1 / FS: 64 / Iter: 7	99	99	2934339.5	1502.382			Tx : 58686756.000 Rx : 58686756.000 Loss : 0 Loss% : 0.00	3437	4460	3675.500	
Trial: 1 / FS: 64 / Iter: 8	99	99	2955267.0	1513.097			Tx : 59105282.000 Rx : 59105282.000 Loss : 0 Loss% : 0.00	3502	4477	3703.500	
Trial: 1 / FS: 64 / Iter: 9	100	100	2976190.4	1523.809			Tx : 59523810.000 Rx : 59523810.000 Loss : 0 Loss% : 0.00	3405	4510	3761.000	
Trial: 1 / FS: 128 / Iter: 1	10	10	168918.9	172.973			Tx : 3378378.000 Rx : 3378378.000 Loss : 0 Loss% : 0.00	2942	3932	3583.500	
Trial: 1 / FS: 128 / Iter: 2	55	55	929054.4	951.352			Tx : 18581082.000 Rx : 18581082.000 Loss : 0 Loss% : 0.00	2895	4380	3582.500	
Trial: 1 / FS: 128 / Iter: 3	78	78	1309122.1	1340.541			Tx : 26182432.000 Rx : 26182432.000 Loss : 0 Loss% : 0.00	2895	4302	3584.500	
Trial: 1 / FS: 128 / Iter: 4	89	89	1499155.6	1535.135			Tx : 29983108.000 Rx : 29983108.000 Loss : 0 Loss% : 0.00	3325	4460	3613.000	

Trial: 1 / FS: 128 / Iter: 5	94	94	1594172.3	1632.432	Tx : Rx : Loss : Loss% :	31883446.000 31883446.000 0 0.00	3405	4380	3647.000
Trial: 1 / FS: 128 / Iter: 6	97	97	1641681.3	1681.082	Tx : Rx : Loss : Loss% :	32833614.000 32833614.000 0 0.00	3452	4430	3680.000
Trial: 1 / FS: 128 / Iter: 7	99	99	1665434.9	1705.405	Tx : Rx : Loss : Loss% :	33308700.000 33308700.000 0 0.00	3500	4477	3705.000
Trial: 1 / FS: 128 / Iter: 8	99	99	1677312.6	1717.568	Tx : Rx : Loss : Loss% :	33546242.000 33546242.000 0 0.00	3517	4507	3722.500
Trial: 1 / FS: 128 / Iter: 9	100	100	1689189.2	1729.730	Tx : Rx : Loss : Loss% :	33783784.000 33783784.000 0 0.00	3422	4605	3839.000
Trial: 1 / FS: 256 / Iter: 1	10	10	90579.7	185.507	Tx : Rx : Loss : Loss% :	1811594.000 1811594.000 0 0.00	2845	3837	3531.500
Trial: 1 / FS: 256 / Iter: 2	55	55	498188.4	1020.290	Tx : Rx : Loss : Loss% :	9963768.000 9963768.000 0 0.00	2830	4397	3530.500
Trial: 1 / FS: 256 / Iter: 3	78	78	701992.8	1437.681	Tx : Rx : Loss : Loss% :	14039856.000 14039856.000 0 0.00	2875	4332	3530.500
Trial: 1 / FS: 256 / Iter: 4	89	89	803895.1	1646.377	Tx : Rx : Loss : Loss% :	16077898.000 16077898.000 0 0.00	3195	4300	3533.500
Trial: 1 / FS: 256 / Iter: 5	94	94	854846.1	1750.725	Tx : Rx : Loss : Loss% :	17096920.000 17096920.000 0 0.00	3195	4350	3538.500
Trial: 1 / FS: 256 / Iter: 6	97	97	880321.6	1802.899	Tx : Rx : Loss : Loss% :	17606432.000 17606432.000 0 0.00	3195	4332	3540.500
Trial: 1 / FS: 256 / Iter: 7	99	99	893059.6	1828.986	Tx : Rx : Loss : Loss% :	17861186.000 17861186.000 0 0.00	3227	4430	3560.000
Trial: 1 / FS: 256 / Iter: 8	99	99	899428.4	1842.029	Tx : Rx : Loss : Loss% :	17988564.000 17988564.000 0 0.00	3260	4445	3582.500
Trial: 1 / FS: 256 / Iter: 9	100	100	905797.1	1855.072	Tx : Rx : Loss : Loss% :	18115942.000 18115942.000 0 0.00	3387	4495	3746.000
Trial: 1 / FS: 512 / Iter: 1	10	10	46992.5	192.481	Tx : Rx : Loss : Loss% :	939850.000 939850.000 0 0.00	2925	3835	3530.000

Trial: 1 / FS: 512 / Iter: 2	55	55	258458.7	1058.647	Tx : Rx : Loss : Loss% :	5169172.000 5169172.000 0 0.00	2925	4205	3530.500
Trial: 1 / FS: 512 / Iter: 3	78	78	364191.8	1491.729	Tx : Rx : Loss : Loss% :	7283834.000 7283834.000 0 0.00	2860	4170	3530.500
Trial: 1 / FS: 512 / Iter: 4	89	89	417058.3	1708.271	Tx : Rx : Loss : Loss% :	8341166.000 8341166.000 0 0.00	2910	4347	3530.500
Trial: 1 / FS: 512 / Iter: 5	94	94	443491.6	1816.541	Tx : Rx : Loss : Loss% :	8869830.000 8869830.000 0 0.00	2860	4155	3531.500
Trial: 1 / FS: 512 / Iter: 6	97	97	456708.3	1870.677	Tx : Rx : Loss : Loss% :	9134164.000 9134164.000 0 0.00	3260	4332	3566.000
Trial: 1 / FS: 512 / Iter: 7	99	99	463316.6	1897.745	Tx : Rx : Loss : Loss% :	9266330.000 9266330.000 0 0.00	3307	4332	3597.500
Trial: 1 / FS: 512 / Iter: 8	99	99	466620.7	1911.278	Tx : Rx : Loss : Loss% :	9332414.000 9332414.000 0 0.00	3405	4395	3627.500
Trial: 1 / FS: 512 / Iter: 9	100	100	469924.8	1924.812	Tx : Rx : Loss : Loss% :	9398496.000 9398496.000 0 0.00	3372	4507	3755.000
Trial: 1 / FS: 1024 / Iter: 1	10	10	23946.4	196.169	Tx : Rx : Loss : Loss% :	478928.000 478928.000 0 0.00	3230	4235	3541.500
Trial: 1 / FS: 1024 / Iter: 2	55	55	131705.0	1078.927	Tx : Rx : Loss : Loss% :	2634100.000 2634100.000 0 0.00	2895	4012	3542.000
Trial: 1 / FS: 1024 / Iter: 3	78	78	185584.3	1520.307	Tx : Rx : Loss : Loss% :	3711686.000 3711686.000 0 0.00	2925	3870	3542.000
Trial: 1 / FS: 1024 / Iter: 4	89	89	212524.0	1740.996	Tx : Rx : Loss : Loss% :	4250478.000 4250478.000 0 0.00	2895	3870	3542.000
Trial: 1 / FS: 1024 / Iter: 5	94	94	225993.8	1851.341	Tx : Rx : Loss : Loss% :	4519876.000 4519876.000 0 0.00	2957	3962	3542.000
Trial: 1 / FS: 1024 / Iter: 6	97	97	232728.7	1906.513	Tx : Rx : Loss : Loss% :	4654574.000 4654574.000 0 0.00	3135	4220	3543.000
Trial: 1 / FS: 1024 / Iter: 7	99	99	236096.2	1934.100	Tx : Rx : Loss : Loss% :	4721922.000 4721922.000 0 0.00	3292	4300	3576.000

Trial: 1 / FS: 1024 / Iter: 8	99	99	237779.9	1947.893	Tx : Rx : Loss : Loss% :	4755598.000 4755598.000 0 0.00	3342	4395	3613.000
Trial: 1 / FS: 1024 / Iter: 9	100	100	239463.6	1961.686	Tx : Rx : Loss : Loss% :	4789272.000 4789272.000 0 0.00	3407	4525	3772.500
Trial: 1 / FS: 1280 / Iter: 1	10	10	19230.8	196.923	Tx : Rx : Loss : Loss% :	384616.000 384616.000 0 0.00	2892	3885	3533.000
Trial: 1 / FS: 1280 / Iter: 2	55	55	105769.2	1083.077	Tx : Rx : Loss : Loss% :	2115384.000 2115384.000 0 0.00	2845	3980	3532.500
Trial: 1 / FS: 1280 / Iter: 3	78	78	149038.5	1526.154	Tx : Rx : Loss : Loss% :	2980770.000 2980770.000 0 0.00	2910	3885	3532.500
Trial: 1 / FS: 1280 / Iter: 4	89	89	170673.1	1747.692	Tx : Rx : Loss : Loss% :	3413462.000 3413462.000 0 0.00	2892	4220	3532.500
Trial: 1 / FS: 1280 / Iter: 5	94	94	181490.4	1858.462	Tx : Rx : Loss : Loss% :	3629808.000 3629808.000 0 0.00	2987	4157	3532.500
Trial: 1 / FS: 1280 / Iter: 6	97	97	186899.0	1913.846	Tx : Rx : Loss : Loss% :	3737980.000 3737980.000 0 0.00	3052	4205	3535.500
Trial: 1 / FS: 1280 / Iter: 7	99	99	189603.4	1941.538	Tx : Rx : Loss : Loss% :	3792068.000 3792068.000 0 0.00	3275	4267	3557.500
Trial: 1 / FS: 1280 / Iter: 8	99	99	190955.5	1955.385	Tx : Rx : Loss : Loss% :	3819110.000 3819110.000 0 0.00	3322	4317	3584.500
Trial: 1 / FS: 1280 / Iter: 9	100	100	192307.7	1969.231	Tx : Rx : Loss : Loss% :	3846154.000 3846154.000 0 0.00	3390	4510	3751.500
Trial: 1 / FS: 1518 / Iter: 1	10	10	16254.9	197.399	Tx : Rx : Loss : Loss% :	325098.000 325098.000 0 0.00	3040	4077	3730.000
Trial: 1 / FS: 1518 / Iter: 2	55	55	89401.8	1085.696	Tx : Rx : Loss : Loss% :	1788036.000 1788036.000 0 0.00	3132	4077	3728.000
Trial: 1 / FS: 1518 / Iter: 3	78	78	125975.3	1529.844	Tx : Rx : Loss : Loss% :	2519506.000 2519506.000 0 0.00	3055	4077	3727.500
Trial: 1 / FS: 1518 / Iter: 4	89	89	144262.0	1751.918	Tx : Rx : Loss : Loss% :	2885240.000 2885240.000 0 0.00	3085	4077	3728.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	153405.4	1862.955	Tx : Rx : Loss : Loss% :	3068108.000 3068108.000 0 0.00	3020	4525	3727.500
Trial: 1 / FS: 1518 / Iter: 6	97	97	157977.1	1918.474	Tx : Rx : Loss : Loss% :	3159542.000 3159542.000 0 0.00	3230	4412	3729.000
Trial: 1 / FS: 1518 / Iter: 7	99	99	160262.9	1946.233	Tx : Rx : Loss : Loss% :	3205258.000 3205258.000 0 0.00	3470	4380	3751.500
Trial: 1 / FS: 1518 / Iter: 8	99	99	161405.8	1960.113	Tx : Rx : Loss : Loss% :	3228116.000 3228116.000 0 0.00	3470	4540	3778.500
Trial: 1 / FS: 1518 / Iter: 9	100	100	162548.8	1973.992	Tx : Rx : Loss : Loss% :	3250976.000 3250976.000 0 0.00	3772	4732	3956.500

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Tx Rate %	L2 Throughput			L1 Throughput	Throughput (frames)
					%	FPS	Mbps		
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-2 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRe port-Endpoint Set-1 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx : Loss : Lost Bits % : Loss% :

Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps :	Tx : Rx :	1625488 1625488
								Lost Bits % :	Loss % :	0 0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3500	4510	3801
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3405	4447	3721
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3515	4605	3879
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3422	4510	3799
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3485	4495	3787
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3387	4415	3705
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3722	4507	3795
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3372	4415	3715
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3517	4525	3812
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3407	4447	3733
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3692	4510	3792
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3390	4412	3711
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-1 - Flow Group 0001	3802	4732	3996
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3772	4640	3917

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	%	FPS	Mbps	Tx Rate Mbps	Rx Rate Mbps		
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1467169.8	751.19			Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 64 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	1467169.8	751.19	Tx : 29343378 Rx : 29343378 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1477633.5	756.55	Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	1477633.5	756.55	Tx : 29552641 Rx : 29552641 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1488095.2	761.91	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	1488095.2	761.91	Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx : 1689189 Rx : 1689189 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx : 9290541 Rx : 9290541 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx : 13091216 Rx : 13091216 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx : 14991554 Rx : 14991554 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx : 15941723 Rx : 15941723 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx : 15941723 Rx : 15941723 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : 16416807 Rx : 16416807 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx : 16416807 Rx : 16416807 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : 16654350 Rx : 16654350 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx : 16654350 Rx : 16654350 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : 16773121 Rx : 16773121 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx : 16773121 Rx : 16773121 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : 905797 Rx : 905797 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx : 905797 Rx : 905797 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : 4981884 Rx : 4981884 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx : 4981884 Rx : 4981884 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : 7019928 Rx : 7019928 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx : 7019928 Rx : 7019928 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : 8038949 Rx : 8038949 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 256 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx : Rx : Loss : Loss% :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx : Rx : Loss : Loss% :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx : Rx : Loss : Loss% :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx : Rx : Loss : Loss% :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx : Rx : Loss : Loss% :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx : Rx : Loss : Loss% :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx : Rx : Loss : Loss% :	2584586 2584586 0 0.000

Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx : Rx : Loss : Loss% :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : Rx : Loss : Loss% :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx : Rx : Loss : Loss% :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : Rx : Loss : Loss% :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx : Rx : Loss : Loss% :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : Rx : Loss : Loss% :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx : Rx : Loss : Loss% :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx : Rx : Loss : Loss% :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx : Rx : Loss : Loss% :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000

Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx : Rx : Loss : Loss% :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx : Rx : Loss : Loss% :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx : Rx : Loss : Loss% :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx : Rx : Loss : Loss% :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx : Rx : Loss : Loss% :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx : Rx : Loss : Loss% :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx : Rx : Loss : Loss% :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx : Rx : Loss : Loss% :	2377799 2377799 0 0.000

Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : 192308 Rx : 192308 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx : 192308 Rx : 192308 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : 1057692 Rx : 1057692 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx : 1057692 Rx : 1057692 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : 1490385 Rx : 1490385 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx : 1490385 Rx : 1490385 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : 1706731 Rx : 1706731 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx : 1706731 Rx : 1706731 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : 1814904 Rx : 1814904 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx : 1814904 Rx : 1814904 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : 1868990 Rx : 1868990 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx : 1868990 Rx : 1868990 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : 1896034 Rx : 1896034 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx : Rx : Loss : Loss% :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx : Rx : Loss : Loss% :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx : Rx : Loss : Loss% :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx : Rx : Loss : Loss% :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : Rx : Loss : Loss% :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx : Rx : Loss : Loss% :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : Rx : Loss : Loss% :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx : Rx : Loss : Loss% :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : Rx : Loss : Loss% :	1534054 1534054 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx : Rx : Loss : Loss% :	1534054 1534054 0 0.000

Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : 1579771 Rx : 1579771 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx : 1579771 Rx : 1579771 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : 1602629 Rx : 1602629 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx : 1602629 Rx : 1602629 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : 1614058 Rx : 1614058 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx : 1614058 Rx : 1614058 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : 1625488 Rx : 1625488 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx : 1625488 Rx : 1625488 Loss : 0 Loss% : 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3292	3867	3575.00
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2895	3775	3488.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3292	4460	3572.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2877	4350	3492.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3292	4380	3573.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3102	4335	3492.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3307	4395	3597.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3197	4412	3517.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3420	4382	3650.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3342	4320	3570.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3467	4477	3691.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3405	4352	3610.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3467	4460	3716.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3437	4350	3635.00
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3580	4477	3744.00

Trial: 1 / FS: 64 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3502	4382	3663.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3500	4510	3801.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3405	4447	3721.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3357	3932	3619.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2942	3855	3548.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3355	4380	3623.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2895	4270	3542.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3370	4285	3625.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2895	4302	3544.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3402	4460	3653.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3325	4270	3573.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3482	4380	3687.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3405	4287	3607.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3530	4430	3720.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3452	4382	3640.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3580	4445	3745.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3500	4477	3665.00

Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3562	4507	3763.00
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3517	4462	3682.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3515	4605	3879.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3422	4510	3799.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3262	3837	3576.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2845	3742	3487.00
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3245	4397	3572.00
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2830	4315	3489.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3245	4332	3572.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2875	4142	3489.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3277	4045	3575.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3195	4300	3492.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3277	4350	3580.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3195	4315	3497.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3277	4302	3582.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3195	4332	3499.00
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3310	4430	3601.00

Trial: 1 / FS: 256 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3227	4205	3519.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3340	4445	3624.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3260	4365	3541.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3485	4495	3787.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3387	4415	3705.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3275	3835	3566.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2925	3772	3494.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3275	3962	3571.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2925	4205	3490.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3275	4170	3571.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2860	3982	3490.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3275	4347	3571.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2910	3967	3490.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3275	4155	3572.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2860	4110	3491.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3337	4332	3606.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3260	4190	3526.00

Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3387	4332	3638.00
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3307	4237	3557.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3435	4395	3668.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3405	4317	3587.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3722	4507	3795.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3372	4415	3715.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	4235	3577.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3230	3790	3506.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	4012	3582.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2895	3792	3502.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	3870	3582.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2925	3792	3502.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	3870	3582.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2895	3792	3502.00
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	3962	3582.00
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2957	3807	3502.00
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3292	4220	3583.00

Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3135	4175	3503.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3372	4300	3616.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3292	4237	3536.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3420	4395	3653.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3342	4317	3573.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3517	4525	3812.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3407	4447	3733.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3310	3885	3578.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2892	3790	3488.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3307	3885	3574.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2845	3980	3491.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3307	3885	3574.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2910	3805	3491.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3307	3885	3574.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2892	4220	3491.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3307	4157	3574.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	2987	3805	3491.00

Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3307	4205	3577.00
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3052	4045	3494.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3355	4267	3599.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3275	4140	3516.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3405	4317	3626.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3322	4202	3543.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3692	4510	3792.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3390	4412	3711.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3502	4077	3771.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3040	4015	3689.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3500	4077	3767.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3132	4012	3689.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3500	4077	3767.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3055	4012	3688.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3500	4077	3767.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestRep ort-Endpoint Set-2 - Flow Group 0001	3085	4030	3689.00
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_Test Report-Endpoint Set-1 - Flow Group 0001	3500	4525	3767.00

Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3020	4015	3688.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3500	4412	3769.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3230	4237	3689.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3532	4380	3791.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3470	4252	3712.00
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3547	4540	3818.00
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3470	4540	3739.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-1 - Flow Group 0001	3802	4732	3996.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 002	Ethernet - 001	S2805S-8TF-P_RFC2544_TestReport-Endpoint Set-2 - Flow Group 0001	3772	4640	3917.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730