


# Mini Cat6 Shielded Toolless Keystone Jack

FOR DATA CENTER, NETWORK ENGINEERING CABLING, ENTERPRISE NETWORK CABLING



## Overview

The Cat6 keystone toolless style connectors make for a simple installation without the need for a punch down tool. Toolless keystone jacks are an ideal solution for terminating and connecting network cable, such as Cat6 premise wiring, the RJ45 keystone jack snapping into wall plates, patch panels and surface-mount boxes.

## Benefits

- Support IEEE 802.3af/at/bt, Verified IEC 60512-99-001 & IEC 60512-99-002 Test
- The Shielded Keystone Jack, Against EMI/RFI, NEXT, and AXT
- Fast Installation Without Any Special Punch Tool or Crimping Tool
- Dual-color-coded Labeling for 568A/B (T58A) Wiring Schemes
- Gold-plated RJ45 Contacts for Optimal Conductivity
- To Be Used with Keystone Wall Plate or Panel

## Technical Specification

| Parameter             | Value                            |
|-----------------------|----------------------------------|
| Product Type          | Mini Cat6 Keystone Jack          |
| Connector             | RJ45 Female                      |
| Termination Type      | Toolless                         |
| Shielding Type        | Shielded                         |
| Data Rate Support     | 1000Base-T                       |
| Wire Gauge Supported  | 22-26AWG Cable                   |
| Wiring Scheme         | T568A/T568B                      |
| Housing Material      | Zinc Alloy                       |
| Dimensions (HxW)      | 0.63"x0.57" (16x14.5mm)          |
| Operating Temperature | -10°C to 60°C (14°F to 140°F)    |
| Contact Material      | Phosphor Bronze with Gold Plated |
| IDC Contact Material  | Phosphor Bronze with Tin Plated  |

## Product Specification

Unit:MM

