

Cat5e Unshielded Toolless Keystone Jack

FOR DATA CENTER, NETWORK ENGINEERING CABLING, ENTERPRISE NETWORK CABLING



Overview

The Cat5e keystone toolless style connectors make for a simple installation without the need for a punch down tool. Toolless keystone jacks are an ideal solution for terminating and connecting network cable, such as Cat5e premise wiring, the RJ45 keystone jack snapping into wall plates, patch panels and surface-mount boxes.

Benefits

- Support IEEE 802.3af/at, Verified IEC 60512-99-001 & IEC 60512-99-002 Test
- Fast Installation Without Any Special Punch Tool or Crimping Tool
- Dual-color-coded Labeling for 568A/B (258A) Wiring Schemes
- Gold-plated RJ45 Contacts for Optimal Conductivity
- To Be Used with Keystone Wall Plate or Panel

Technical Specification

Parameter	Value
Product Type	Cat5e Keystone Jack
Connector	RJ45 Female
Termination Type	Toolless
Shielding Type	Unshielded
Data Rate Support	1000Base-T
Wire Gauge Supported	22-26AWG Cable
Wiring Scheme	T568A/T568B
Housing Material	Zinc Alloy
Dimensions (HxW)	0.63"x0.57" (16x14.5mm)
Operating Temperature	-10°C to 60°C (14°F to 140°F)
Contact Material	Tinned Phosphor Bronze, 3μ Gold-plated Contact
Insertion Force	30N Max. (IEC 60603-7-5)

Product Specification

Unit:MM

