

22" LED FHD Monitor

22-inch, 1920×1080 Resolution, 250 cd/m²



Overview

The 22 inches monitor has high image clarity and color reproduction, and truly reproduces the image information captured by the camera, including many details. In order to be able to display richer colors, a wide color gamut LCD screen is used to improve the color depth of the LCD monitor. The monitor can run stably and work 24 hours a day without interruption. The response time is 5ms, the shorter the time, the more perfect the effect displayed on the screen.

Applicable to various application scenarios such as meeting rooms, shopping malls, office buildings, universities, industrial parks, etc.

Benefits


- Resolution is up to at 1920x1080, More Fine Details.
- Support Continuous 24/7 Operation and Lower Power Consumption.
- Wide 178° Viewing Angles Allow Viewing from Almost Any Direction.
- Highly Durable, Ultra-narrow Bezel, Ultra-slim Depth.
- Automatic Color and Image Enhancement Engine for Optimum Color Rendering.

Technical Specification

LM-3022		LM-3055
Display		
Screen Size	22-inch	55-inch
Backlight	LED (Direct type)	
Pixel Pitch	0.248×0.248mm	0.315×0.315mm
Max Resolution	1920×1080	3840×2160
Color Depth	16.7M (8bit)	1.07B (10bit)
Brightness	250cd/m²	300cd/m²
Contrast Ratio	3000:1	1000:1
Response Time	5ms	14ms
Viewing Angle	Horizontal 178°, Vertical 178°	
Interface		
Video input	1×VGA, 1×HDMI, 1×Audio In	2×HDMI, 2×DP
Audio output	1, 3.5 mm mini-jack	3.5mm headphone jack
Speaker	2×1.5W	2×5W
OSD		
Language	8 (English, France, Spanish, German , Russia, Korea, Japanese, Simplified Chinese)	8 (English, French, German, Italian, Dutch, Korean, Simplified Chinese, Traditional Chinese)
VESA		
Wall mount hole	100×100mm	200×200mm
General		
Power Supply	DC 12V, 2A	AC 100 ~ 240V
Typical power consumption	≤22W	≤115W
Standby power consumption	≤0.5W	
Net Weight	2.3Kg	9.4Kg
Gross Weight	3.4Kg	11.8Kg
Operating Temperature	0℃ ~ 40 ℃	
Operating Humidity	20%~85% (No Condensation)	
Storage Temperature	-20℃ ~ 60℃	
Storage humidity	0%~90% (No Condensation)	
Product dimensions (Hx Wx D)	508.02×307.9×40.1mm	1234.6×715.9×74.8mm
Package dimensions (Hx Wx D)	508.02×392.87×200mm	1322×818×141mm
Accessories included	HDMI cable, Adapter& power cable, Pedestal , Quick Guide, Hanging bracket	HDMI cable, Quick Guide, Remote Control , Power Cable

Ordering Information

ID	Description
#174028	22-inch 1920×1080 Resolution FHD Monitor, 250 cd/m ² , Viewing Angle Horizontal 178°, Vertical 178°
#174029	55-inch 3840×2160 Resolution 4K UHD Monitor, 300 cd/m ² , Viewing Angle Horizontal 178°, Vertical 178°



 <https://www.fs.com>



The information in this document is subject to change without notice. FS has made all efforts to ensure the accuracy of the information, but all information in this document does not constitute any kind of warranty.