

S5440 Series Switches

FSOS Software Release Notes

Models: S5440-48MU, S5440H-24MU, S5440H-48MU

CONTENTS

Chapter 1 Version Information	1
1.1 FSOS_V3.3.1.2.2 Basic Information	1
1.2 FSOS_V3.0.21.r1 Basic Information	1
Chapter 2 New Changes	2
2.1 FSOS_V3.3.1.2.2 New Changes	2
2.2 FSOS_V3.3.1.2 New Changes	2
2.3 FSOS_V3.0.21.r1 New Changes	2

Chapter 1 Version Information

1.1 FSOS_V3.3.1.2.2 Basic Information

Version Number	FSOS_V3.3.1.2.2
Applicable Products	S5440-48MU, S5440H-24MU, S5440H-48MU
Applicable Hardware Version	All
MD5	a4a67aa89d79019dff5f16409612d631

1.2 FSOS_V3.0.21.r1 Basic Information

Version Number	FSOS_V3.0.21.r1
Applicable Products	S5440-48MU, S5440H-24MU, S5440H-48MU
Applicable Hardware Version	V1.0
MD5	aee453b260842896ff8ce65bcfe94878

Chapter 2 New Changes

2.1 FSOS_V3.3.1.2.2 New Changes

New Functions	Description
Security Fixes	Security Fixes
Web UI Improvements	-

2.2 FSOS_V3.3.1.2 New Changes

New Functions	Description
Support displaying license information in the Web UI	Display uploaded license information in the Web UI.
Support stacking	-Supports switch stacking.
Support MPLS	Adds MPLS support.
SNMP bug fixes	Fixed an issue with SNMP node polling.

2.3 FSOS_V3.0.21.r1 New Changes

New Functions	Description
Support DHCPv6 Server	Supports DHCPv6 Server.
Support Sticky MAC	Supports configuration of sticky MAC.
Support Scheduled Configuration File Upload to FTP/TFTP Server	Supports scheduled upload of running configuration and startup configuration files to FTP/TFTP servers.
Enhance PTP	The web interface newly supports PTP configuration. All ports support PTP. All breakout ports support PTP.
Enhance SSH Security	Added security encryption algorithms.
Enhance DHCP Relay	Supports configuration of source IP address. Supports configuration of relay sub-options.
Support New Optical Module	Added 100G module compatibility.