

IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 04/24/2026 14:13:27

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Per Flow Results	20
8.	Iteration Data	22
9.	Theoretical Max Rates	38

RFC2544 - Throughput/Latency - Info

Test Information

Product Information

Product Label :	IES5120-28TS-P
Product Version :	IES5120-28TS-P-6363P01
Serial Number :	219801A6D29256Q0003W
Comments :	

Test Settings

Date Executed :	04/24/2026
Time Executed :	14:13:27
User Name :	
Number of Trials Executed :	1
Stream Duration (sec) :	20
Calculate Lantency :	True
Lantency Type :	Store and Forward

Output Parameters

Number of Trials Passed :	N/A
Test Duration (sec) :	00:36:21

RFC2544 - Throughput/Latency - Port Map Information

Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.28.162.200;07;05	10000	10.28.162.200;07;06	10000
	10.28.162.200;06;03	1000	10.28.162.200;06;12	1000

RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size



RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph



RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph



RFC2544 - Throughput/Latency - Iteration Graph





Aggregated Frame Loss for Trial 1 and Framesize 256



Aggregated Frame Loss for Trial 1 and Framesize 512



Aggregated Frame Loss for Trial 1 and Framesize 1024



Aggregated Frame Loss for Trial 1 and Framesize 1280




Aggregated Frame Loss for Trial 1 and Framesize 1518
6
4
2
0
-2
-4
-6
(%)
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
1
2
3
4
5
6
7
8
9
Iteration

RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput	Throughput (frames)		Agg Latency (ns)	
	AggTx Rate %	Agg Rx Rate							
		%	FPS	Mbps					
Trial: 1 / FS: 64 / Iter: 9	100.00	100	16369047.5	8380.952	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 327380953.000 Rx : 327380953.000 Loss : 0 Loss% : 0.00	Min : 2967 Max : 37567 Average : 17603.000		
Trial: 1 / FS: 128 / Iter: 9	100.00	100	9290540.5	9513.513	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 185810811.000 Rx : 185810811.000 Loss : 0 Loss% : 0.00	Min : 3117 Max : 43070 Average : 20397.500		
Trial: 1 / FS: 256 / Iter: 9	100.00	100	4981884.0	10202.899	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 99637681.000 Rx : 99637681.000 Loss : 0 Loss% : 0.00	Min : 3245 Max : 51632 Average : 26055.000		
Trial: 1 / FS: 512 / Iter: 9	100.00	100	2584586.5	10586.466	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 51691729.000 Rx : 51691729.000 Loss : 0 Loss% : 0.00	Min : 3582 Max : 76750 Average : 37487.500		
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	1317049.8	10789.272	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 26340996.000 Rx : 26340996.000 Loss : 0 Loss% : 0.00	Min : 4002 Max : 121775 Average : 60220.000		
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	1057692.3	10830.769	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 21153846.000 Rx : 21153846.000 Loss : 0 Loss% : 0.00	Min : 4207 Max : 144157 Average : 71579.000		
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	894018.2	10856.957	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :	Tx : 17880364.000 Rx : 17880364.000 Loss : 0 Loss% : 0.00	Min : 4390 Max : 165232 Average : 82150.500		

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	Rx Rate						
					%	FPS	Mbps				
Trial: 1 / FS: 64 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	14880952.3	7619.05	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	297619048 297619048 0 0.000
Trial: 1 / FS: 64 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	1488095.2	761.91	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	29761905 29761905 0 0.000
Trial: 1 / FS: 128 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	8445945.9	8648.65	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	168918919 168918919 0 0.000
Trial: 1 / FS: 128 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	844594.6	864.87	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	16891892 16891892 0 0.000
Trial: 1 / FS: 256 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	4528985.5	9275.36	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	90579710 90579710 0 0.000
Trial: 1 / FS: 256 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	452898.5	927.54	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	2349624.1	9624.06	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	46992481 46992481 0 0.000
Trial: 1 / FS: 512 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	234962.4	962.41	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	1197318.0	9808.43	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	23946360 23946360 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	119731.8	980.84	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	2394636 2394636 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	961538.5	9846.15	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	19230769 19230769 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	96153.8	984.62	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100	812743.8	9869.96	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	16254876 16254876 0 0.000

Trial: 1 / FS: 1518 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100	81274.4	987.00	Tx Rate Mbps : Rx Rate Mbps : Lost Bits % :		Tx : Rx : Loss : Loss% :	1625488 1625488 0 0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2967	3052	3033
Trial: 1 / FS: 64 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31790	37567	32173
Trial: 1 / FS: 128 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3117	3447	3169
Trial: 1 / FS: 128 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37452	43070	37626
Trial: 1 / FS: 256 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3245	3567	3283
Trial: 1 / FS: 256 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48702	51632	48827
Trial: 1 / FS: 512 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3582	3910	3633
Trial: 1 / FS: 512 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71197	76750	71342
Trial: 1 / FS: 1024 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4002	4082	4047
Trial: 1 / FS: 1024 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116285	121775	116393
Trial: 1 / FS: 1280 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4207	4522	4241
Trial: 1 / FS: 1280 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138782	144157	138917
Trial: 1 / FS: 1518 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4390	4722	4441
Trial: 1 / FS: 1518 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159725	165232	159860

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)	
				Tx Rate %	Rx Rate %	Rx Rate FPS	Rx Rate Mbps	Tx Rate Mbps	Rx Rate Mbps		
Trial: 1 / FS: 64 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	148809.5	76.19			Tx : 2976190 Rx : 2976190 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	818452.5	419.05			Tx : 16369048 Rx : 16369048 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	1153274.7	590.48			Tx : 23065476 Rx : 23065476 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	13206904.7	6761.94			Tx : 264136905 Rx : 264136905 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	1320685.0	676.19			Tx : 26413690 Rx : 26413690 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	14044019.2	7190.54			Tx : 280877976 Rx : 280877976 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	1404391.1	719.05			Tx : 28087798 Rx : 28087798 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	14462459.7	7404.78			Tx : 289248512 Rx : 289248512 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	1446242.7	740.48			Tx : 28924851 Rx : 28924851 Loss : 0 Loss% : 0.000	
Trial: 1 / FS: 64 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	14671832.4	7511.98			Tx : 293433780 Rx : 293433780 Loss : 0 Loss% : 0.000	

Trial: 1 / FS: 64 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	1467169.8	751.19	Tx Rx Loss Loss%	: : : :	29343378 29343378 0 0.000
Trial: 1 / FS: 64 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	14776334.8	7565.48	Tx Rx Loss Loss%	: : : :	295526414 295526414 0 0.000
Trial: 1 / FS: 64 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	1477633.5	756.55	Tx Rx Loss Loss%	: : : :	29552641 29552641 0 0.000
Trial: 1 / FS: 64 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	14880952.3	7619.05	Tx Rx Loss Loss%	: : : :	297619048 297619048 0 0.000
Trial: 1 / FS: 64 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	1488095.2	761.91	Tx Rx Loss Loss%	: : : :	29761905 29761905 0 0.000
Trial: 1 / FS: 128 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	844594.6	864.87	Tx Rx Loss Loss%	: : : :	16891892 16891892 0 0.000
Trial: 1 / FS: 128 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	84459.5	86.49	Tx Rx Loss Loss%	: : : :	1689189 1689189 0 0.000
Trial: 1 / FS: 128 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	4645271.8	4756.76	Tx Rx Loss Loss%	: : : :	92905405 92905405 0 0.000
Trial: 1 / FS: 128 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	464527.2	475.68	Tx Rx Loss Loss%	: : : :	9290541 9290541 0 0.000
Trial: 1 / FS: 128 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	6545640.5	6702.74	Tx Rx Loss Loss%	: : : :	130912162 130912162 0 0.000
Trial: 1 / FS: 128 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	654561.0	670.27	Tx Rx Loss Loss%	: : : :	13091216 13091216 0 0.000
Trial: 1 / FS: 128 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	7495812.9	7675.71	Tx Rx Loss Loss%	: : : :	149915541 149915541 0 0.000
Trial: 1 / FS: 128 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	749577.8	767.57	Tx Rx Loss Loss%	: : : :	14991554 14991554 0 0.000
Trial: 1 / FS: 128 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx Rx Loss Loss%	: : : :	159417230 159417230 0 0.000
Trial: 1 / FS: 128 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	797086.2	816.22	Tx Rx Loss Loss%	: : : :	15941723 15941723 0 0.000

Trial: 1 / FS: 128 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	8208443.2	8405.45	Tx Rx Loss Loss%	: : : :	164168074 164168074 0 0.000
Trial: 1 / FS: 128 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	820840.6	840.54	Tx Rx Loss Loss%	: : : :	16416807 16416807 0 0.000
Trial: 1 / FS: 128 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx Rx Loss Loss%	: : : :	166543497 166543497 0 0.000
Trial: 1 / FS: 128 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	832717.5	852.70	Tx Rx Loss Loss%	: : : :	16654350 16654350 0 0.000
Trial: 1 / FS: 128 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx Rx Loss Loss%	: : : :	167731208 167731208 0 0.000
Trial: 1 / FS: 128 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	838656.3	858.78	Tx Rx Loss Loss%	: : : :	16773121 16773121 0 0.000
Trial: 1 / FS: 128 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx Rx Loss Loss%	: : : :	168918919 168918919 0 0.000
Trial: 1 / FS: 128 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	844594.6	864.87	Tx Rx Loss Loss%	: : : :	16891892 16891892 0 0.000
Trial: 1 / FS: 256 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	452898.6	927.54	Tx Rx Loss Loss%	: : : :	9057971 9057971 0 0.000
Trial: 1 / FS: 256 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	45289.9	92.75	Tx Rx Loss Loss%	: : : :	905797 905797 0 0.000
Trial: 1 / FS: 256 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx Rx Loss Loss%	: : : :	49818841 49818841 0 0.000
Trial: 1 / FS: 256 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	249094.2	510.15	Tx Rx Loss Loss%	: : : :	4981884 4981884 0 0.000
Trial: 1 / FS: 256 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx Rx Loss Loss%	: : : :	70199275 70199275 0 0.000
Trial: 1 / FS: 256 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	350996.4	718.84	Tx Rx Loss Loss%	: : : :	7019928 7019928 0 0.000
Trial: 1 / FS: 256 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx Rx Loss Loss%	: : : :	80389493 80389493 0 0.000

Trial: 1 / FS: 256 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	401947.6	823.19	Tx Rx Loss Loss%	: : : :	8038949 8038949 0 0.000
Trial: 1 / FS: 256 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx Rx Loss Loss%	: : : :	85484601 85484601 0 0.000
Trial: 1 / FS: 256 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	427423.1	875.36	Tx Rx Loss Loss%	: : : :	8548460 8548460 0 0.000
Trial: 1 / FS: 256 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	4401620.3	9014.52	Tx Rx Loss Loss%	: : : :	88032156 88032156 0 0.000
Trial: 1 / FS: 256 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	440160.8	901.45	Tx Rx Loss Loss%	: : : :	8803216 8803216 0 0.000
Trial: 1 / FS: 256 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx Rx Loss Loss%	: : : :	89305933 89305933 0 0.000
Trial: 1 / FS: 256 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	446529.8	914.49	Tx Rx Loss Loss%	: : : :	8930593 8930593 0 0.000
Trial: 1 / FS: 256 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx Rx Loss Loss%	: : : :	89942822 89942822 0 0.000
Trial: 1 / FS: 256 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	449714.2	921.02	Tx Rx Loss Loss%	: : : :	8994282 8994282 0 0.000
Trial: 1 / FS: 256 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx Rx Loss Loss%	: : : :	90579710 90579710 0 0.000
Trial: 1 / FS: 256 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	452898.5	927.54	Tx Rx Loss Loss%	: : : :	9057971 9057971 0 0.000
Trial: 1 / FS: 512 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx Rx Loss Loss%	: : : :	4699248 4699248 0 0.000
Trial: 1 / FS: 512 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	23496.2	96.24	Tx Rx Loss Loss%	: : : :	469925 469925 0 0.000
Trial: 1 / FS: 512 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx Rx Loss Loss%	: : : :	25845865 25845865 0 0.000
Trial: 1 / FS: 512 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	129229.3	529.32	Tx Rx Loss Loss%	: : : :	2584586 2584586 0 0.000

Trial: 1 / FS: 512 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx Rx Loss Loss%	: : : :	36419173 36419173 0 0.000
Trial: 1 / FS: 512 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	182095.9	745.87	Tx Rx Loss Loss%	: : : :	3641917 3641917 0 0.000
Trial: 1 / FS: 512 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx Rx Loss Loss%	: : : :	41705827 41705827 0 0.000
Trial: 1 / FS: 512 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	208529.1	854.14	Tx Rx Loss Loss%	: : : :	4170583 4170583 0 0.000
Trial: 1 / FS: 512 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx Rx Loss Loss%	: : : :	44349154 44349154 0 0.000
Trial: 1 / FS: 512 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	221745.8	908.27	Tx Rx Loss Loss%	: : : :	4434915 4434915 0 0.000
Trial: 1 / FS: 512 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx Rx Loss Loss%	: : : :	45670818 45670818 0 0.000
Trial: 1 / FS: 512 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	228354.1	935.34	Tx Rx Loss Loss%	: : : :	4567082 4567082 0 0.000
Trial: 1 / FS: 512 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	2316582.7	9488.72	Tx Rx Loss Loss%	: : : :	46331649 46331649 0 0.000
Trial: 1 / FS: 512 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	231658.3	948.87	Tx Rx Loss Loss%	: : : :	4633165 4633165 0 0.000
Trial: 1 / FS: 512 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx Rx Loss Loss%	: : : :	46662065 46662065 0 0.000
Trial: 1 / FS: 512 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	233310.3	955.64	Tx Rx Loss Loss%	: : : :	4666207 4666207 0 0.000
Trial: 1 / FS: 512 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	2349624.1	9624.06	Tx Rx Loss Loss%	: : : :	46992481 46992481 0 0.000
Trial: 1 / FS: 512 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	234962.4	962.41	Tx Rx Loss Loss%	: : : :	4699248 4699248 0 0.000
Trial: 1 / FS: 1024 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx Rx Loss Loss%	: : : :	2394636 2394636 0 0.000

Trial: 1 / FS: 1024 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	11973.2	98.08	Tx Rx Loss Loss%	: : : :	239464 239464 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx Rx Loss Loss%	: : : :	13170498 13170498 0 0.000
Trial: 1 / FS: 1024 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	65852.5	539.46	Tx Rx Loss Loss%	: : : :	1317050 1317050 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx Rx Loss Loss%	: : : :	18558429 18558429 0 0.000
Trial: 1 / FS: 1024 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	92792.2	760.15	Tx Rx Loss Loss%	: : : :	1855843 1855843 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx Rx Loss Loss%	: : : :	21252395 21252395 0 0.000
Trial: 1 / FS: 1024 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	106262.0	870.50	Tx Rx Loss Loss%	: : : :	2125239 2125239 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx Rx Loss Loss%	: : : :	22599377 22599377 0 0.000
Trial: 1 / FS: 1024 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	112996.9	925.67	Tx Rx Loss Loss%	: : : :	2259938 2259938 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx Rx Loss Loss%	: : : :	23272869 23272869 0 0.000
Trial: 1 / FS: 1024 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	116364.3	953.26	Tx Rx Loss Loss%	: : : :	2327287 2327287 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1180480.8	9670.50	Tx Rx Loss Loss%	: : : :	23609614 23609614 0 0.000
Trial: 1 / FS: 1024 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	118048.1	967.05	Tx Rx Loss Loss%	: : : :	2360961 2360961 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx Rx Loss Loss%	: : : :	23777987 23777987 0 0.000
Trial: 1 / FS: 1024 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	118889.9	973.95	Tx Rx Loss Loss%	: : : :	2377799 2377799 0 0.000

Trial: 1 / FS: 1024 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx Rx Loss Loss%	: : : :	23946360 23946360 0 0.000
Trial: 1 / FS: 1024 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	119731.8	980.84	Tx Rx Loss Loss%	: : : :	2394636 2394636 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx Rx Loss Loss%	: : : :	1923077 1923077 0 0.000
Trial: 1 / FS: 1280 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	9615.4	98.46	Tx Rx Loss Loss%	: : : :	192308 192308 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx Rx Loss Loss%	: : : :	10576923 10576923 0 0.000
Trial: 1 / FS: 1280 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	52884.6	541.54	Tx Rx Loss Loss%	: : : :	1057692 1057692 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx Rx Loss Loss%	: : : :	14903846 14903846 0 0.000
Trial: 1 / FS: 1280 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	74519.2	763.08	Tx Rx Loss Loss%	: : : :	1490385 1490385 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx Rx Loss Loss%	: : : :	17067308 17067308 0 0.000
Trial: 1 / FS: 1280 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	85336.5	873.85	Tx Rx Loss Loss%	: : : :	1706731 1706731 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx Rx Loss Loss%	: : : :	18149038 18149038 0 0.000
Trial: 1 / FS: 1280 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	90745.2	929.23	Tx Rx Loss Loss%	: : : :	1814904 1814904 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx Rx Loss Loss%	: : : :	18689904 18689904 0 0.000
Trial: 1 / FS: 1280 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	93449.5	956.92	Tx Rx Loss Loss%	: : : :	1868990 1868990 0 0.000
Trial: 1 / FS: 1280 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx Rx Loss Loss%	: : : :	18960337 18960337 0 0.000

Trial: 1 / FS: 1280 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	94801.7	970.77	Tx Rx Loss Loss%	: : : :	1896034 1896034 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx Rx Loss Loss%	: : : :	19095553 19095553 0 0.000
Trial: 1 / FS: 1280 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	95477.8	977.69	Tx Rx Loss Loss%	: : : :	1909555 1909555 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx Rx Loss Loss%	: : : :	19230769 19230769 0 0.000
Trial: 1 / FS: 1280 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	96153.8	984.62	Tx Rx Loss Loss%	: : : :	1923077 1923077 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx Rx Loss Loss%	: : : :	1625488 1625488 0 0.000
Trial: 1 / FS: 1518 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	10.00	10.00	8127.4	98.70	Tx Rx Loss Loss%	: : : :	162549 162549 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx Rx Loss Loss%	: : : :	8940182 8940182 0 0.000
Trial: 1 / FS: 1518 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	55.00	55.00	44700.9	542.85	Tx Rx Loss Loss%	: : : :	894018 894018 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx Rx Loss Loss%	: : : :	12597529 12597529 0 0.000
Trial: 1 / FS: 1518 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	77.50	77.50	62987.6	764.92	Tx Rx Loss Loss%	: : : :	1259753 1259753 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx Rx Loss Loss%	: : : :	14426203 14426203 0 0.000
Trial: 1 / FS: 1518 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	88.75	88.75	72131.0	875.96	Tx Rx Loss Loss%	: : : :	1442620 1442620 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx Rx Loss Loss%	: : : :	15340540 15340540 0 0.000
Trial: 1 / FS: 1518 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	94.38	94.38	76702.7	931.48	Tx Rx Loss Loss%	: : : :	1534054 1534054 0 0.000

Trial: 1 / FS: 1518 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx Rx Loss Loss%	: : : :	15797708 15797708 0 0.000
Trial: 1 / FS: 1518 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	97.19	97.19	78988.5	959.24	Tx Rx Loss Loss%	: : : :	1579771 1579771 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx Rx Loss Loss%	: : : :	16026292 16026292 0 0.000
Trial: 1 / FS: 1518 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	98.59	98.59	80131.5	973.12	Tx Rx Loss Loss%	: : : :	1602629 1602629 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx Rx Loss Loss%	: : : :	16140584 16140584 0 0.000
Trial: 1 / FS: 1518 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	99.30	99.30	80702.9	980.06	Tx Rx Loss Loss%	: : : :	1614058 1614058 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx Rx Loss Loss%	: : : :	16254876 16254876 0 0.000
Trial: 1 / FS: 1518 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	100.00	100.00	81274.4	987.00	Tx Rx Loss Loss%	: : : :	1625488 1625488 0 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2935	2997	2961.00
Trial: 1 / FS: 64 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31662	31870	31735.00
Trial: 1 / FS: 64 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2927	3022	2966.00
Trial: 1 / FS: 64 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31615	34510	31755.00
Trial: 1 / FS: 64 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2935	3352	2967.00
Trial: 1 / FS: 64 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31615	34495	31768.00
Trial: 1 / FS: 64 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2937	3347	2971.00
Trial: 1 / FS: 64 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31630	34557	31791.00
Trial: 1 / FS: 64 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2942	3330	2976.00
Trial: 1 / FS: 64 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31630	34575	31790.00
Trial: 1 / FS: 64 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2952	3385	2985.00
Trial: 1 / FS: 64 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31647	34622	31808.00
Trial: 1 / FS: 64 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2957	3360	2987.00
Trial: 1 / FS: 64 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31630	34637	31818.00
Trial: 1 / FS: 64 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2957	3347	2993.00
Trial: 1 / FS: 64 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31742	34687	31864.00
Trial: 1 / FS: 64 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	2967	3052	3033.00
Trial: 1 / FS: 64 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	31790	37567	32173.00
Trial: 1 / FS: 128 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3092	3152	3120.00

Trial: 1 / FS: 128 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37342	39422	37409.00
Trial: 1 / FS: 128 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3090	3347	3120.00
Trial: 1 / FS: 128 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37295	40157	37412.00
Trial: 1 / FS: 128 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3090	3452	3124.00
Trial: 1 / FS: 128 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37277	40062	37423.00
Trial: 1 / FS: 128 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3090	3397	3125.00
Trial: 1 / FS: 128 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37310	40142	37430.00
Trial: 1 / FS: 128 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3100	3497	3132.00
Trial: 1 / FS: 128 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37277	40285	37433.00
Trial: 1 / FS: 128 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3102	3452	3134.00
Trial: 1 / FS: 128 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37310	40240	37440.00
Trial: 1 / FS: 128 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3112	3190	3143.00
Trial: 1 / FS: 128 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37325	40270	37453.00
Trial: 1 / FS: 128 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3122	3190	3144.00
Trial: 1 / FS: 128 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37310	40302	37469.00
Trial: 1 / FS: 128 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3117	3447	3169.00
Trial: 1 / FS: 128 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	37452	43070	37626.00
Trial: 1 / FS: 256 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3215	3277	3243.00
Trial: 1 / FS: 256 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48590	48750	48667.00
Trial: 1 / FS: 256 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3215	3362	3242.00
Trial: 1 / FS: 256 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48527	51392	48658.00

Trial: 1 / FS: 256 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3215	3462	3244.00
Trial: 1 / FS: 256 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48557	50862	48672.00
Trial: 1 / FS: 256 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3215	3502	3247.00
Trial: 1 / FS: 256 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48545	51437	48690.00
Trial: 1 / FS: 256 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3220	3315	3249.00
Trial: 1 / FS: 256 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48590	51375	48707.00
Trial: 1 / FS: 256 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3225	3317	3252.00
Trial: 1 / FS: 256 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48575	51472	48704.00
Trial: 1 / FS: 256 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3230	3537	3258.00
Trial: 1 / FS: 256 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48592	51535	48709.00
Trial: 1 / FS: 256 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3235	3540	3261.00
Trial: 1 / FS: 256 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48590	51552	48714.00
Trial: 1 / FS: 256 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3245	3567	3283.00
Trial: 1 / FS: 256 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	48702	51632	48827.00
Trial: 1 / FS: 512 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3550	3612	3584.00
Trial: 1 / FS: 512 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71085	71245	71189.00
Trial: 1 / FS: 512 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3550	3642	3588.00
Trial: 1 / FS: 512 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71085	72525	71202.00
Trial: 1 / FS: 512 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3550	3637	3589.00
Trial: 1 / FS: 512 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71117	72780	71208.00
Trial: 1 / FS: 512 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3550	3652	3596.00

Trial: 1 / FS: 512 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71085	73917	71209.00
Trial: 1 / FS: 512 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3550	3850	3592.00
Trial: 1 / FS: 512 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71100	73837	71219.00
Trial: 1 / FS: 512 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3555	3855	3592.00
Trial: 1 / FS: 512 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71102	73950	71216.00
Trial: 1 / FS: 512 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3562	3890	3596.00
Trial: 1 / FS: 512 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71117	73982	71220.00
Trial: 1 / FS: 512 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3572	3885	3602.00
Trial: 1 / FS: 512 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71100	74030	71227.00
Trial: 1 / FS: 512 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3582	3910	3633.00
Trial: 1 / FS: 512 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	71197	76750	71342.00
Trial: 1 / FS: 1024 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4027	3994.00
Trial: 1 / FS: 1024 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116175	116335	116249.00
Trial: 1 / FS: 1024 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3962	4042	3994.00
Trial: 1 / FS: 1024 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116157	118222	116258.00
Trial: 1 / FS: 1024 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4055	3997.00
Trial: 1 / FS: 1024 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116142	118702	116242.00
Trial: 1 / FS: 1024 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4242	3998.00
Trial: 1 / FS: 1024 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116142	118365	116279.00
Trial: 1 / FS: 1024 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4230	3998.00
Trial: 1 / FS: 1024 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116142	118590	116265.00

Trial: 1 / FS: 1024 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4262	3999.00
Trial: 1 / FS: 1024 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116157	118910	116263.00
Trial: 1 / FS: 1024 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3965	4260	4001.00
Trial: 1 / FS: 1024 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116172	118960	116278.00
Trial: 1 / FS: 1024 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	3977	4067	4010.00
Trial: 1 / FS: 1024 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116172	119037	116284.00
Trial: 1 / FS: 1024 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4002	4082	4047.00
Trial: 1 / FS: 1024 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	116285	121775	116393.00
Trial: 1 / FS: 1280 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4172	4232	4200.00
Trial: 1 / FS: 1280 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138735	138877	138787.00
Trial: 1 / FS: 1280 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4170	4245	4201.00
Trial: 1 / FS: 1280 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138670	139757	138777.00
Trial: 1 / FS: 1280 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4170	4277	4205.00
Trial: 1 / FS: 1280 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138672	138912	138786.00
Trial: 1 / FS: 1280 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4170	4362	4204.00
Trial: 1 / FS: 1280 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138655	140302	138786.00
Trial: 1 / FS: 1280 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4170	4427	4203.00
Trial: 1 / FS: 1280 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138670	141025	138797.00
Trial: 1 / FS: 1280 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4170	4257	4205.00
Trial: 1 / FS: 1280 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138702	141390	138806.00
Trial: 1 / FS: 1280 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4175	4262	4207.00

Trial: 1 / FS: 1280 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138687	141505	138808.00
Trial: 1 / FS: 1280 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4175	4472	4208.00
Trial: 1 / FS: 1280 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138705	141550	138809.00
Trial: 1 / FS: 1280 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4207	4522	4241.00
Trial: 1 / FS: 1280 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	138782	144157	138917.00
Trial: 1 / FS: 1518 / Iter: 1	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4360	4422	4393.00
Trial: 1 / FS: 1518 / Iter: 1	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159647	159822	159719.00
Trial: 1 / FS: 1518 / Iter: 2	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4360	4442	4397.00
Trial: 1 / FS: 1518 / Iter: 2	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159630	162015	159731.00
Trial: 1 / FS: 1518 / Iter: 3	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4360	4460	4400.00
Trial: 1 / FS: 1518 / Iter: 3	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159645	159887	159743.00
Trial: 1 / FS: 1518 / Iter: 4	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4357	4457	4400.00
Trial: 1 / FS: 1518 / Iter: 4	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159580	161630	159698.00
Trial: 1 / FS: 1518 / Iter: 5	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4360	4462	4399.00
Trial: 1 / FS: 1518 / Iter: 5	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159630	161902	159742.00
Trial: 1 / FS: 1518 / Iter: 6	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4360	4662	4399.00
Trial: 1 / FS: 1518 / Iter: 6	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159632	162477	159745.00
Trial: 1 / FS: 1518 / Iter: 7	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4365	4680	4402.00
Trial: 1 / FS: 1518 / Iter: 7	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159630	162367	159741.00
Trial: 1 / FS: 1518 / Iter: 8	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4370	4677	4403.00
Trial: 1 / FS: 1518 / Iter: 8	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159630	162462	159747.00

Trial: 1 / FS: 1518 / Iter: 9	7-5	7-6	IES5120-28TS-P-Endpoint Set-1 - Flow Group 0001	4390	4722	4441.00
Trial: 1 / FS: 1518 / Iter: 9	6-3	6-12	IES5120-28TS-P-Endpoint Set-2 - Flow Group 0001	159725	165232	159860.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730